

Datasheet: 5603-0036

## **BATCH NUMBER 1608**

SHEEP ANTI HUMAN LACTATE DEHYDROGENASE 5
LACTATE DEHYDROGENASE 5
Purified
Polyclonal Antibody
Polyclonal IgG
1 ml

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
ELISA	•			
Western Blotting	-			1/100 - 1/500

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

External Database Links	UniProt:
Immunogen	Native, highly purified lactate dehydrogenase 5.
Approx. Protein Concentrations	IgG concentration 5.0 mg/ml
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Buffer Solution	Phosphate buffered saline
Preparation	Purified IgG prepared by affinity chromatography on Protein G
Product Form	Purified IgG - liquid
Target Species	Human

**Entrez Gene:** 3939 LDHA Related reagents **RRID** AB\_2137174 **Specificity** Sheep anti lactate dehydrogenase 5 antibody reacts with LDH2-5, and exhibits low reactivity with LDH1. L-lactate dehydrogenase isozymes exist as tetramers of two subunits with LDH-1 composed for 4  $\beta$  chains and LDH-5 composed of 4  $\alpha$  chains. LDH-2 =3 $\beta$ :1 $\alpha$ , LDH-3 =  $2\beta$ :2 $\alpha$ , LDH-4 =  $1\beta$ :3 $\alpha$  (Boyer *et al.* 1963). Mutations in the LDHA gene can lead to the development of glycogen storage disease 11 (GSD11), a condition typified by myogloinurea, fatigue and pain. **Further Reading** 1. Markert, C.L. (1963) Lactate Dehydrogenase Isozymes: Dissociation and Recombination of Subunits. Science. 140 (3573): 1329-30. 2. Augoff, K. et al. (2015) Lactate dehydrogenase 5: an old friend and a new hope in the war on cancer. Cancer Lett. 358 (1): 1-7. 3. Boyer, S.H. et al. (1963) Lactate dehydrogenase variant from human blood: evidence for molecular subunits. Science. 141 (3581): 642-3. **Storage** Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch **Health And Safety** Material Safety Datasheet documentation #10040 available at: Information https://www.bio-rad-antibodies.com/SDS/5603-0036

### Related Products

Regulatory

#### **Recommended Secondary Antibodies**

Rabbit Anti Sheep IgG (H/L) (5184-2304...) Biotin

10040

P00338

Related reagents

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

For research purposes only

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Fax: +44 (0)1865 852 739
Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M363300:200528'

Printed on 01 May 2024