

Datasheet: 5605-1000G

Description:	SHEEP ANTI HUMAN LACTOFERRIN
Specificity:	LACTOFERRIN
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

RRID AB_2139216

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	▪			
Immunohistology - Paraffin (1)	▪			
ELISA	▪			1/200 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.Sodium citrate buffer pH 6.0 is recommended for this purpose.

Target Species Human

Species Cross Reactivity Reacts with: Dog
N.B. Antibody reactivity and working conditions may vary between species.

Product Form Purified IgG - liquid

Preparation Purified IgG prepared by affinity chromatography on Protein G

Buffer Solution Phosphate buffered saline

Preservative Stabilisers 0.09% Sodium Azide (NaN₃)

Approx. Protein Concentrations IgG concentration 5.0mg/ml

Immunogen Human lactoferrin purified from milk

**External Database
Links**

UniProt:

[P02788](#) [Related reagents](#)

Entrez Gene:

[4057](#) LTF [Related reagents](#)

Synonyms

LF

Specificity

Sheep anti Human lactoferrin antibody recognizes human lactoferrin (LTF), an ~80 kDa non-haem, iron-binding globular glycoprotein and member of the transferrin family present in milk and mucosal secretions, and also released from neutrophil granules during inflammation.

LTF acts as a major first line defense against microbial infections, partly due to its ability to efficiently bind to and hence remove Fe³⁺ from the environment, but studies have also shown that LTF possesses bactericidal properties and proteolytic activity, capable of cleaving arginine-rich sequences within microbial proteins. Three isoforms of LTF have been identified: LTF-alpha, LTF-beta and LTF-gamma and receptors for LTF are expressed in the gastrointestinal tract, by macrophages, lymphocytes, neutrophils and platelets and also by some bacteria.

**Histology Positive
Control Tissue**

Human mammary gland

Further Reading

1. Levay, P.F. & Viljoen, M. (1995) Lactoferrin: a general review. [Haematologica. 80 \(3\): 252-67.](#)
2. Hendrixson, D.R. *et al.* (2003) Human milk lactoferrin is a serine protease that cleaves Haemophilus surface proteins at arginine-rich sites. [Mol Microbiol. 47 \(3\): 607-17.](#)

Storage

Store at +4°C or at -20°C if preferred.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted.
Avoid repeated freezing and thawing as this may denature the antibody.
Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

18 months from date of despatch.

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) [DyLight®488](#), [DyLight®549](#), [DyLight®649](#),
[FITC](#), [HRP](#)

Rabbit Anti Sheep IgG (H/L) (5184-2304...) [Biotin](#)

Recommended Useful Reagents

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025A\)](#)

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025C\)](#)

'M345056:190125'

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)