

## Datasheet: 6220-1004

<b>Description:</b>	NATIVE HUMAN ALPHA 1 MICROGLOBULIN
<b>Name:</b>	ALPHA 1 MICROGLOBULIN
<b>Other names:</b>	AMBP
<b>Format:</b>	Purified
<b>Product Type:</b>	Purified Protein
<b>Quantity:</b>	1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified protein from the urine of patients with chronic renal tubular proteinuria - lyophilized
<b>Reconstitution</b>	Reconstitute with 1.0ml sterile phosphate buffered saline (PBS). Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
<b>Preservative Stabilisers</b>	None present
<b>Approx. Protein Concentrations</b>	Total protein concentration 1.0mg/ml after reconstitution.
<b>External Database Links</b>	<b>UniProt:</b> <a href="http://www.uniprot.org/entry/P02760">P02760</a> <a href="#">Related reagents</a>  <b>Entrez Gene:</b>

<b>Synonyms</b>	HCP, ITIL
<b>Product Information</b>	<p><b>Native Human alpha 1 microglobulin</b> is native human Alpha-1-Microglobulin, a secreted peptide thought to play a role in the regulation of inflammatory processes.</p> <p>This product runs at approximately 27 kDa under reducing conditions and as a dimer at approximately 54 kDa under non-reducing conditions.</p>
<b>Purity</b>	>96% by SDS PAGE
<b>References</b>	1. Weyer, K. <i>et al.</i> (2013) Renal uptake of 99mTc-dimercaptosuccinic acid is dependent on normal proximal tubule receptor-mediated endocytosis. <a href="#">J Nucl Med. 54 (1): 159-65.</a>
<b>Storage</b>	<p>This product is shipped at ambient temperature.</p> <p>Prior to reconstitution store at +4°C.</p> <p>After reconstitution store at -20°C.</p> <p>Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	Guaranteed until date of expiry. Please see product label.
<b>Health And Safety Information</b>	<p>Material Safety Datasheet documentation #10268 available at: <a href="https://www.bio-rad-antibodies.com/SDS/6220-1004">https://www.bio-rad-antibodies.com/SDS/6220-1004</a></p> <p>10268</p> <p>Donor material tested and found negative for HIV1 and 2 antibodies, HBsAg and HCV antibodies.</p> <p>As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious</p>
<b>Regulatory</b>	For research purposes only

**North & South** Tel: +1 800 265 7376**America** Fax: +1 919 878 3751Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M438881:250523'

Printed on 23 May 2025