

Datasheet: 6240-0300 **BATCH NUMBER 166626** 

Description:	MOUSE ANTI HUMAN BETA 2 MICROGLOBULIN
Specificity:	BETA 2 MICROGLOBULIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	2213
Isotype:	lgG1
Quantity:	1 mg

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting	-			

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click <a href="here">here</a> to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from ascites
Buffer Solution	Phosphate buffered saline

Preservative Stabilisers	0.05% Sodium Azide (NaN <sub>3</sub> ) 10% Glycerol
Approx. Protein Concentrations	Current, batch-specific concentration 1.1 mg/ml
Immunogen	Highly pure beta 2 microglobulin from human urine.
External Database Links	UniProt: P61769 Related reagents  Entrez Gene: 567 B2M Related reagents
RRID	AB_620043
Fusion Partners	Spleen cells from immunized Balb/c mice were fused with cells of the murine NS-1 myeloma.
Specificity	Mouse anti Human beta 2 microglobulin antibody, clone 2213 recognizes native human beta 2 microglobulin, a 119 amino acid component of MHC class I molecules
	present on all nucleated cells, containing a single <u>Ig-like C1 type</u> domain, Levels of beta 2 microglobulin can be used to assess renal function in kidney transplant recipients ( <u>Woo et al. 2014</u> ). Also known as B2M, it has been suggested that this protein can be used as a prognostic marker for HIV infection ( <u>Halota et al. 2002</u> ).
Storage	present on all nucleated cells, containing a single <u>Ig-like C1 type</u> domain, Levels of beta 2 microglobulin can be used to assess renal function in kidney transplant recipients ( <u>Woo et al. 2014</u> ). Also known as B2M, it has been suggested that this protein can be used as a
Storage	present on all nucleated cells, containing a single <u>Ig-like C1 type</u> domain, Levels of beta 2 microglobulin can be used to assess renal function in kidney transplant recipients ( <u>Woo et al. 2014</u> ). Also known as B2M, it has been suggested that this protein can be used as a prognostic marker for HIV infection ( <u>Halota et al. 2002</u> ).  This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for
Storage	present on all nucleated cells, containing a single <u>lg-like C1 type</u> domain, Levels of beta 2 microglobulin can be used to assess renal function in kidney transplant recipients ( <u>Woo et al. 2014</u> ). Also known as B2M, it has been suggested that this protein can be used as a prognostic marker for HIV infection ( <u>Halota et al. 2002</u> ).  This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.  Avoid repeated freezing and thawing as this may denature the antibody. Storage in
	present on all nucleated cells, containing a single <u>Ig-like C1 type</u> domain, Levels of beta 2 microglobulin can be used to assess renal function in kidney transplant recipients ( <u>Woo et al. 2014</u> ). Also known as B2M, it has been suggested that this protein can be used as a prognostic marker for HIV infection ( <u>Halota et al. 2002</u> ).  This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.  Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	present on all nucleated cells, containing a single <u>lq-like C1 type</u> domain, Levels of beta 2 microglobulin can be used to assess renal function in kidney transplant recipients ( <u>Woo et al. 2014</u> ). Also known as B2M, it has been suggested that this protein can be used as a prognostic marker for HIV infection ( <u>Halota et al. 2002</u> ).  This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.  Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.  Guaranteed until date of expiry. Please see product label.

# **Related Products**

# **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR76...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Goat Anti Mouse IgG (STAR77...) HRP
Rabbit Anti Mouse IgG (STAR9...) FITC

### **Recommended Negative Controls**

### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M424157:231019'

#### Printed on 10 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint