

Datasheet: 6260-0008

Description:	MOUSE ANTI HUMAN MILK FAT GLOBULIN		
Specificity:	MILK FAT GLOBULIN		
Other names:	MFG		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	MFG-06		
Isotype:	lgG1		
Quantity:	0.2 mg		

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	<b>Suggested Dilution</b>
Immunohistology - Paraffin	-			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Native human milk at globulin.
RRID	AB_620224

Specificity	<b>Mouse anti Human milk fat globulin antibody, clone MFG-06</b> recognizes a ~40-45 kDa glycoprotein in the human milk fat globulin preparation.
Immunohistology	IHC on methanol/acetone fixed cells, cryostat and formalin fixed paraffin sections are suitable.
References	1. Bojić-Trbojević, Ž. <i>et al.</i> (2014) Galectin-1 binds mucin in human trophoblast. <u>Histochem Cell Biol. 142 (5): 541-53.</u>
Storage	Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted.  Avoid repeated freezing and thawing as this may denature the antibody.  Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>
Regulatory	For research purposes only

## Related Products

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Rabbit Anti Mouse IgG (STAR12...) RPE

Rabbit Anti Mouse IgG (STAR8...) <u>DyLight®800</u>

Rabbit Anti Mouse IgG (STAR13...) HRP
Goat Anti Mouse IgG (STAR76...) RPE

Goat Artif Wodse 199 (STAR70...)

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®680,

DyLight®800, FITC, HRP

# **Recommended Negative Controls**

### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

Email: antibody\_sales\_us@bio-rad.com

North & South Tel: +1 800 265 7376 Wd

America

Tel: +1 800 265 7376 **Worldwide** T Fax: +1 919 878 3751 F

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739

Email: antibody\_sales\_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M318737:180719'

Printed on 08 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint