

Datasheet: 643002

BATCH NUMBER 166081

DONKEY ANTI RAT IgG (H/L):FITC (MOUSE ADSORBED)
IgG (H/L)
FITC
Polyclonal Antibody
Polyclonal IgG
1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunofluorescence				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Rat	Rat				
Species Cross Reactivity	Does not react with	Does not react with:Mouse				
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid					
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	FITC	490	525			
Buffer Solution	Phosphate buffere	Phosphate buffered saline				
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)					
Approx. Protein Concentrations	1.0 mg/ml					
Immunogen	Rat IgG.					

External Database	UniProt:				
Links	P20767	Related rea	gents		
	P20760	Related rea			
	P20759	Related rea			
	P20761	Related rea			
	P20762	Related rea			
	P01835	Related rea			
	P01836	Related rea	<u>gents</u>		
	P20766	Related rea	<u>gents</u>		
	Entrez Ge	ne:			
	<u>679045</u>	LOC679045	Related reagents		
	299354	lghg	Related reagents		
	<u>362795</u>	LOC362795	Related reagents		
	<u>500180</u>	LOC500180	Related reagents		
	<u>363828</u>	RGD1564318	Related reagents		
RRID	AB_616788	3			
Specificity	Donkey anti Rat IgG antibody recognizes rat IgG heavy and light chains and demonstrates minimal cross reactivity with mouse serum proteins.				
References	 Bombardieri, M. <i>et al.</i> (2011) A BAFF/APRIL-dependent TLR3-stimulated pathway enhances the capacity of rheumatoid synovial fibroblasts to induce AID expression and Ig class-switching in B cells. <u>Ann Rheum Dis. 70 (10): 1857-65.</u> Ivanescu, A.A. <i>et al.</i> (2015) Modifying Choroidal Neovascularization Development with a Nutritional Supplement in Mice. <u>Nutrients. 7 (7): 5423-42.</u> 				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	•	eezers is not red	d thawing as this may denature the commended. This product is photo	•	
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/643002 10040				
Regulatory	For researc	ch purposes only	,		

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 То Europe America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 find a Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M402083:220718'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint