

Datasheet: 643004

Description:	DONKEY ANTI RAT IgG (H/L):Alk. Phos. (MOUSE ADSORBED)
Specificity:	IgG (H/L)
Format:	Alk. Phos.
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications	This product has been re derived from testing withi communications from the information. For general	n our labo originato	oratories, p rs. Please	eer-reviewed public refer to references i	ations or personal ndicated for further
	rad-antibodies.com/proto	<u>cols</u> .			
		Yes	Νο	Not Determined	Suggested Dilution
	Immunohistology - Frozen	•			
	Immunohistology - Paraffin			•	
	ELISA	•			1/2000 - 1/4000
	Western Blotting	•			
	Where this product has n necessarily exclude its us a guide only. It is recomn system using appropriate	se in such nended th	procedure at the use	es. Suggested working titrates the product	ng dilutions are given as
Target Species	Rat				
Species Cross Reactivity	Does not react with:Mous	se			
Product Form	Purified IgG conjugated t	o Alkaline	Phosphat	ase - liquid	
Antiserum Preparation	n Antiserum to rat IgG was antigen. Purified IgG was IgG covalently linked to a	prepared	-		
Buffer Solution	TRIS buffered saline, 1m	M MgCl2			
Preservative Stabilisers	<0.1% Sodium Azide (Na 50% Glycerol	aN ₃)			
Immunogen	Rat IgG.				

	UniProt:						
Links		Deleted ree	nonto				
	P20767 Related reagents						
	P20760	Related rea					
	P20759	Related real					
	P20761	Related rea					
	P20762	Related real					
	P01835 Related reagents						
		P01836 Related reagents					
	<u>P20766</u>	Related rea	gents				
	Entrez Ge	ne:					
	<u>679045</u>	LOC679045	Related reagents				
	<u>299354</u>	lghg	Related reagents				
	<u>362795</u>	LOC362795	Related reagents				
	<u>500180</u>	LOC500180	Related reagents				
	<u>363828</u>	RGD1564318	Related reagents				
RRID	AB_619834	Ļ					
	Donkey anti Rat IgG antibody recognizes rat IgG heavy and light chains and demonstrates minimal cross reactivity with mouse serum proteins.						
Specificity References	demonstrat	es minimal cross	s reactivity with mouse	serum prot	eins.		
	demonstrat 1. Bombard enhances th class-switch 2. Ivanescu	es minimal cross lieri, M. <i>et al.</i> (20 he capacity of rh hing in B cells. <u>A</u> I, A.A. <i>et al.</i> (201	s reactivity with mouse (11) A BAFF/APRIL-de eumatoid synovial fibro nn Rheum Dis. 70 (10)	e serum prot ependent TL oblasts to in): 1857-65. Il Neovascu	R3-stimulated pathway Aduce AID expression and Ig		
	demonstration 1. Bombard enhances the class-switch 2. Ivanescu a Nutritional This product -20°C on resources	es minimal cross lieri, M. <i>et al.</i> (20 he capacity of rh hing in B cells. <u>A</u> I, A.A. <i>et al.</i> (201 Il Supplement in ct is shipped at a cceipt. When tha	s reactivity with mouse (11) A BAFF/APRIL-de eumatoid synovial fibro nn Rheum Dis. 70 (10) 5) Modifying Choroidal Mice. <u>Nutrients. 7 (7):</u> mbient temperature. It	e serum prot ependent TL oblasts to ir <u>): 1857-65.</u> Il Neovascu <u>5423-42.</u> t is recomm le as neede	R3-stimulated pathway R3-stimulated pathway nduce AID expression and Ig larization Development with ended to aliquot and store a d. Keep aliquots at 2-8°C fo		
References	demonstration 1. Bombard enhances the class-switch 2. Ivanescu a Nutritiona This product -20°C on re- short term to Avoid repea	es minimal cross lieri, M. <i>et al.</i> (20 he capacity of rh ning in B cells. <u>A</u> n, A.A. <i>et al.</i> (201 Il Supplement in ct is shipped at a eceipt. When tha use (up to 4 wee	s reactivity with mouse (11) A BAFF/APRIL-de- eumatoid synovial fibro (10) 5) Modifying Choroidal Mice. <u>Nutrients. 7 (7):</u> (11) mbient temperature. It wed, aliquot the sample (12) and store the remaind (2) thawing as this may c	e serum prot ependent TL oblasts to in <u>): 1857-65.</u> Il Neovascu <u>5423-42.</u> t is recomm le as neede aining alique	R3-stimulated pathway nduce AID expression and lo larization Development with ended to aliquot and store a d. Keep aliquots at 2-8°C fo ots at -20°C.		
References	demonstration 1. Bombard enhances the class-switch 2. Ivanescu a Nutritional This product -20°C on re- short term to Avoid repeat frost-free free	es minimal cross lieri, M. <i>et al.</i> (20 he capacity of rh hing in B cells. <u>A</u> i, A.A. <i>et al.</i> (201 il Supplement in ct is shipped at a eceipt. When that use (up to 4 wee ated freezing and eezers is not reco d for 12 months f	s reactivity with mouse (11) A BAFF/APRIL-de- eumatoid synovial fibro (nn Rheum Dis. 70 (10) 5) Modifying Choroidal Mice. <u>Nutrients. 7 (7):</u> (mbient temperature. It wed, aliquot the sample ks) and store the rema d thawing as this may co ommended.	e serum prot ependent TL oblasts to ir <u>): 1857-65.</u> Il Neovascu <u>5423-42.</u> It is recomm le as neede aining alique denature th	R3-stimulated pathway nduce AID expression and lo larization Development with ended to aliquot and store a d. Keep aliquots at 2-8°C fo ots at -20°C.		
References Storage	demonstration 1. Bombard enhances the class-switch 2. Ivanescu a Nutritional This product -20°C on re- short term und Avoid repeat frost-free free Guaranteeo comes first.	es minimal cross lieri, M. <i>et al.</i> (20 he capacity of rh hing in B cells. <u>A</u> , A.A. <i>et al.</i> (201 Il Supplement in ct is shipped at a seceipt. When that use (up to 4 wee ated freezing and eezers is not rec d for 12 months the Please see labo	s reactivity with mouse (11) A BAFF/APRIL-de- eumatoid synovial fibro ann Rheum Dis. 70 (10) 5) Modifying Choroidal Mice. <u>Nutrients. 7 (7):</u> (mbient temperature. It wed, aliquot the sample ks) and store the remain d thawing as this may co ommended.	e serum prot ependent TL oblasts to ir <u>): 1857-65.</u> Il Neovascu <u>5423-42.</u> It is recomm le as neede aining alique denature th tch or until	R3-stimulated pathway nduce AID expression and lo larization Development with ended to aliquot and store a d. Keep aliquots at 2-8°C fo ots at -20°C. e antibody. Storage in the date of expiry, whicheve		
References Storage Guarantee	demonstration 1. Bombard enhances the class-switch 2. Ivanescu a Nutritional This produce -20°C on re- short term to Avoid repeat frost-free free Guaranteeo comes first. Material Sa	es minimal cross lieri, M. <i>et al.</i> (20 he capacity of rh hing in B cells. <u>A</u> I, A.A. <i>et al.</i> (201 Il Supplement in ct is shipped at a eccipt. When that use (up to 4 wee ated freezing and eezers is not rec d for 12 months f . Please see labor fety Datasheet c	s reactivity with mouse (11) A BAFF/APRIL-de- eumatoid synovial fibro (nn Rheum Dis. 70 (10) 5) Modifying Choroidal Mice. Nutrients. 7 (7): (mbient temperature. It wed, aliquot the sample ks) and store the remain d thawing as this may co ommended. (from the date of despate el for expiry date.	e serum prot ependent TL oblasts to ir <u>): 1857-65.</u> Il Neovascu <u>5423-42.</u> It is recomm le as neede aining alique denature th tch or until	R3-stimulated pathway nduce AID expression and lo larization Development with ended to aliquot and store a d. Keep aliquots at 2-8°C fo ots at -20°C. e antibody. Storage in the date of expiry, whicheve		

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M420444:230706'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint