

Datasheet: 6490-3610 BATCH NUMBER 153351

| Description: | MOUSE ANTI RABBIT MYOSIN HEAVY CHAIN |
|---------------|--------------------------------------|
| Specificity: | MYOSIN HEAVY CHAIN |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | TH81 (BGN/04/4481) |
| Isotype: | lgG1 |
| Quantity: | 0.2 mg |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . | | | | | | |
|-----------------------------|--|------------|-------------|----------------------------|---------------------|--|--|
| | | | | | | | |
| | | Yes | No | Not Determined | Suggested Dilution | | |
| | Immunohistology - Frozen | | | • | 00 | | |
| | Immunohistology - Paraffin | - | | | | | |
| | ELISA | | | | | | |
| | Western Blotting | | | • | | | |
| | Immunofluorescence | | | | | | |
| | Where this product has n | ot been te | ested for u | ise in a particular tech | nique this does not | | |
| | necessarily exclude its us a guide only. It is recomm system using the approp | nended th | at the use | r titrates the product for | | | |
| Target Species | Rabbit | | | | | | |
| Species Cross Reactivity | Reacts with: Rat, Human N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. | | | | | | |
| Product Form | Purified IgG - liquid | | | | | | |
| Preparation | Purified IgG prepared by affinity chromatography on Protein G from ascites | | | | | | |
| Buffer Solution | Phosphate buffered salin | e | | | | | |

| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) |
|-----------------------------------|--|
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |
| Immunogen | Native rabbit myosin heavy chain from muscle. |
| RRID | AB_620234 |
| Specificity | Mouse anti Rabbit muscle myosin heavy chain antibody, clone TH81 recognizesthe heavy chain of rabbit muscle myosin. Muscle myosin is a hexameric protein that consists of two heavy chain subunits (MHC), two alkali light chain subunits (MLC) and two regulatory light chain subunits (MLC-2). |
| | Mouse anti Rabbit muscle myosin heavy chain antibody, clone TH81 (6490-3610) was raised against rabbit myosin heavy chain but is also reported to cross react with human and rat cardiac myosin. |
| References | Zhao, Y.Y. <i>et al.</i> (1998) Neuregulins promote survival and growth of cardiac myocytes. Persistence of ErbB2 and ErbB4 expression in neonatal and adult ventricular myocytes. J <u>Biol Chem. 273 (17): 10261-9.</u> Engel, D. <i>et al.</i> (2004) Cardiac myocyte apoptosis provokes adverse cardiac remodeling in transgenic mice with targeted TNF overexpression. <u>Am J Physiol Heart Circ Physiol. 287: H1303-11.</u> Kinebuchi, Y. <i>et al.</i> (2010) Autologous bone-marrow-derived mesenchymal stem cell transplantation into injured rat urethral sphincter. <u>Int J Urol. 17 (4): 359-68.</u> |
| Storage | Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/6490-3610 10040 |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)RPEGoat Anti Mouse IgG IgA IgM (STAR87...)HRPGoat Anti Mouse IgG (STAR76...)RPE

| | use IgG (STAR70) use IgG (H/L) (STAR1 | , | <u>C</u> <u>Phos., DyLight®488, Dyl</u> .ight®650, DyLight®680, _ | | <u>),</u> |
|---------------|---|-------------------------|--|-----------------|--|
| | | FIT | <u>C, HRP</u> | | |
| Rabbit Anti M | ouse IgG (STAR9) | <u>FIT</u> | <u>C</u> | | |
| Goat Anti Mou | use IgG (STAR77) | HR | <u>P</u> | | |
| Goat Anti Mou | use IgG (Fc) (STAR12 | 20) <u>FIT</u> | <u>C, HRP</u> | | |
| Rabbit Anti M | ouse IgG (STAR13) | HRI | 2 | | |
| America Fax: | 1 800 265 7376 ⊧1 919 878 3751 : antibody_sales_us@bio-rad. | Worldwide com | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rac | Europe I.com | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363369:200528'

Printed on 20 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint