

Datasheet: 6870-1109

Description:	RABBIT ANTI RAT NMDA RECEPTOR NR2B
Specificity:	NMDAR NR2B
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	10 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	▪			1/1000 - 1/2000
Immunoprecipitation	▪			
Western Blotting	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Rat

Species Cross Reactivity

Reacts with: Mouse, Human, Fish

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - lyophilized

Reconstitution

Reconstitute with 50µl of Phosphate buffered saline

Preparation

Purified IgG prepared by affinity chromatography

Buffer Solution

Ammonium bicarbonate

Preservative Stabilisers

None present

Immunogen	C-terminal fusion protein of Rat NMDAR2B (30kDa) corresponding to amino acids 984-1104.
External Database Links	<p>UniProt: Q00960 Related reagents</p> <p>Entrez Gene: 24410 Grin2b Related reagents</p>
RRID	AB_620698
Specificity	<p>Rabbit anti Rat NMDA Receptor NR2B antibody recognizes the ~180 kDa NMDA (N-methyl-D-aspartate) receptor NMDAR2B subunit.</p> <p>NMDA receptors are a class of ionotropic glutamate receptors. NMDA channels have been shown to be involved in long term potentiation, an activity dependent increase in the efficiency of synaptic transmission thought to underlie certain kinds of memory and learning. NMDA receptor channels are heteromers composed of the key receptor subunit NMDAR1 (GRIN1) and 1 or more of the 4 NMDAR2 subunits: NMDAR2A (GRIN2A), NMDAR2B (GRIN2B), NMDAR2C (GRIN2C), or NMDAR2D (GRIN2D).</p>
Histology Positive Control Tissue	Hippocampus.
References	<ol style="list-style-type: none"> 1. Maliszewska-Cyna, E. <i>et al.</i> (2010) Diminished prevalence but preserved synaptic distribution of N-methyl-D-aspartate receptor subunits in the methyl CpG binding protein 2(MeCP2)-null mouse brain. Neuroscience. 168: 624-32 2. Asaka, Y. <i>et al.</i> (2006) Hippocampal synaptic plasticity is impaired in the Mecp2-null mouse model of Rett syndrome. Neurobiol Dis. 21: 217-27. 3. Grosshans, D.R. and Browning, M.D. (2001) Protein kinase C activation induces tyrosine phosphorylation of the NR2A and NR2B subunits of the NMDA receptor. J Neurochem. 76: 737-44.
Storage	<p>Prior to reconstitution store at +4°C.</p> <p>After reconstitution store at -20°C.</p> <p>Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10122 available at: 10122: https://www.bio-rad-antibodies.com/uploads/MSDS/10122.pdf
Regulatory	For research purposes only
Technical Advice	3 µl of antibody will quantitatively immunoprecipitate all NMDAR2B in 200 µg of rat brain.

Optimal working dilutions must be determined by the end user.

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)
Sheep Anti Rabbit IgG (STAR36...) [DyLight@488](#), [DyLight@680](#), [DyLight@800](#)
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M391279:211008'

Printed on 21 Mar 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)