

Datasheet: 7263-1006

Description:	MOUSE ANTI PEPTIDOGLYCAN
Specificity:	PEPTIDOGLYCAN
Format:	Ascites
Product Type:	Monoclonal Antibody
Clone:	3F6B3 (10H6)
Isotype:	IgG1
Quantity:	0.1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	▪			
Immunohistology - Paraffin (1)	▪			
ELISA	▪			
Western Blotting			▪	
Immunofluorescence	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

(1) Treatment with strong acid, for Gram positive bacteria, or with a detergent, such as SDS, for Gram-negative bacteria may be necessary to expose the epitope.

Target Species	Bacterial
Product Form	Ascitic Fluid - raw
Preservative Stabilisers	None present.
Immunogen	This antibody was raised against insoluble peptidoglycan obtained by TCA-heat and ethanol extraction of <i>Streptococcus mutans</i> BHT cells.
RRID	AB_620617

Specificity **Mouse anti peptidoglycan antibody, clone 3F6B3** recognizes the 3D polymer complex structure of peptidoglycan (PG). In a competitive immunoassay format, several compounds were found to be ineffective as inhibitors; muramyl dipeptide, N-acetylglucosamine, chitin and acid hydrolyzed chitin. The epitope appears to consist of discontinuous glycan and/or amino acid residues.

- References**
1. Miklossy, J. *et al.* (2004) *Borrelia burgdorferi* persists in the brain in chronic Lyme neuroborreliosis and may be associated with Alzheimer disease. [J. Alzheimer's Dis. 6: 639-49.](#)
 2. Wu, L. *et al.* (2007) Bacterial peptidoglycan breaks down intestinal tolerance via mast cell activation: the role of TLR2 and NOD2. [Immunol Cell Biol. 85: 538-45.](#)
 3. Rennemeier, C. *et al.* (2007) Thrombospondin-1 promotes cellular adherence of gram-positive pathogens via recognition of peptidoglycan. [FASEB J. 21 \(12\): 3118-32.](#)
 4. Schweitzer, M.H. *et al.* (2016) Testing the Hypothesis of Biofilm as a Source for Soft Tissue and Cell-Like Structures Preserved in Dinosaur Bone. [PLoS One. 11 \(2\): e0150238.](#)
 5. Miklossy J *et al.* (2008) Persisting atypical and cystic forms of *Borrelia burgdorferi* and local inflammation in Lyme neuroborreliosis. [J Neuroinflammation. 5: 40.](#)
 6. Robertson, J. *et al.* (2016) Intestinal APCs of the endogenous nanomineral pathway fail to express PD-L1 in Crohn's disease. [Sci Rep. 6: 26747.](#)
 7. Miklossy, J. (2016) Bacterial Amyloid and DNA are Important Constituents of Senile Plaques: Further Evidence of the Spirochetal and Biofilm Nature of Senile Plaques. [J Alzheimers Dis. 53 \(4\): 1459-73.](#)
 8. Miklossy, J. *et al.* (2008) Type 2 Diabetes: Local Inflammation and Direct Effect of Bacterial Toxic Components [The Open Pathology Journal. 2 \(1\): 86-95.](#)
 9. Van Gerven, N. *et al.* (2014) Secretion and functional display of fusion proteins through the curli biogenesis pathway. [Mol Microbiol. 91 \(5\): 1022-35.](#)
 10. Moon, M.S. *et al.* (2019) Bacterial Translocation and Host Immune Activation in Chronic Hepatitis C Infection. [Open Forum Infect Dis. 6 \(7\) \[Epub ahead of print\].](#)
 11. Lindgren, J. *et al.* (2017) Biochemistry and adaptive colouration of an exceptionally preserved juvenile fossil sea turtle. [Sci Rep. 7 \(1\): 13324.](#)
-

Storage Store at -20°C only.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10194 available at:
10194: <https://www.bio-rad-antibodies.com/uploads/MSDS/10194.pdf>

Regulatory For research purposes only

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M363418:200528'

Printed on 21 Mar 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)