

## Datasheet: 7820-0504 BATCH NUMBER 163307

Description:	NATIVE HUMAN PROSTATE SPECIFIC ANTIGEN
Name:	PROSTATE SPECIFIC ANTIGEN
Other names:	KALLIKREIN 3
Format:	Purified
Product Type:	Purified Protein
Quantity:	0.1 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This inform derived from testing within our laboratories, peer-reviewed publications or perso communications from the originators. Please refer to references indicated for fur						
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	ELISA	-					
	Western Blotting	•					
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.						
Target Species	Human						
Product Form	Purified protein from human seminal fluid - liquid						
Preparation	Sterlie filtered through a 0.2 µM membrane						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	<0.1% Sodium Azide (NaN <sub>3</sub> )						
Approx. Protein Concentrations	1.0 mg/ml						
External Database Links	UniProt: <u>P07288</u> <u>Related</u>	reagents					

## Entrez Gene:

354 KLK3 Related reagents

Synonyms	APS		
Product Information	<b>Native Human prostate specific antigen</b> preparation is a purified form of human prostate-specific antigen (PSA), a glycoprotein of ~30 kDa found mainly in prostatic tissue and seminal fluid. PSA is also present in small quantities in the serum of normal men and is often elevated in the presence of prostate cancer and in other prostatic disorders.		
	Native Human prostate specific antigen demonstrates high specific activity and low levels of any contaminating proteins, including those with trypsin-like protease activity ( <u>Manning</u> <u>et al. 2012</u> ).		
Protein Molecular Weight	30 kDa		
Purity	>96% by SDS-PAGE		
References	1. Chornokur, G. <i>et al.</i> (2011) Impedance-Based Miniaturized Biosensor for Ultrasensitive and Fast Prostate-Specific Antigen Detection <u>Journal of Sensors, vol. 2011, Article ID</u> <u>983752</u>		
	2. Arya, S.K. and Bhansali, S. (2012) Anti-Prostate Specific Antigen (Anti-PSA) Modified Interdigitated Microelectrode-Based Impedimetric Biosensor for PSA Detection <u>Biosensors</u> <u>Journal 1: H110601</u>		
	3. Manning, M,L, et al. (2012) Trypsin-like proteolytic contamination of commercially		
	available psa purified from human seminal fluid. <u>Prostate. 72 (11): 1233-8.</u>		
	4. Manning ML <i>et al.</i> (2013) Proteolysis of complement factors iC3b and C5 by the serine protease prostate-specific antigen in prostatic fluid and seminal plasma. <u>J Immunol. 190</u> (6): 2567-74.		
	5. Piletska, E.V. <i>et al.</i> (2014) Microplates with enhanced immobilization capabilities controlled by a magnetic field <u>J Chin Adv Mat Soc. 2: 118-29.</u>		
	6. Kostova, M.B. <i>et al.</i> (2018) PSA-alpha-2-macroglobulin complex is enzymatically active in the serum of patients with advanced prostate cancer and can degrade circulating peptide hormones. <u>Prostate. 78 (11): 819-29.</u>		
	7. Li, H. <i>et al.</i> (2020) Comprehensive role of prostate-specific antigen identified with proteomic analysis in prostate cancer. <u>J Cell Mol Med. 24 (17): 10202-15.</u>		
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.		
	Avoid repeated freezing and thawing as this may denature the protein. Storage in frost-free freezers is not recommended.		
Guarantee	12 months from date of despatch		

Health A Informati	nd Safety on	Material Safety Datasheet documentation #10258 available at: https://www.bio-rad-antibodies.com/SDS/7820-0504 10258					
		Donor mat antibodies.		and found negative for	HIV1 and 2	antibodies, HBsAg and HCV	
			can comple s potentially		erial to be fro	ee of pathogens it should be	
Regulato	ry	For resear	ch purposes	s only			
North & South America	Tel: +1 800 265 7 Fax: +1 919 878 3 Email: antibody_s	3751	Worldwide d.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bic	Europe -rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	
To find a b	atch/lot specifi	ic datasheet f	for this produ	ict, please use our online 'M390751:211001'	search tool at	t: bio-rad-antibodies.com/datasheets	
			I	Printed on 09 May 2025			

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint