

# Datasheet: 8209-4006 BATCH NUMBER 168413

Description:	RABBIT ANTI SALMONELLA GROUP ANTIGEN
Specificity:	SALMONELLA GROUP ANTIGEN
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further						
	information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/proto	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution		
	ELISA			•			
	Western Blotting						
	Immunofluorescence	-					
	Where this product has not been tested for use in a particular technique this does not						
	necessarily exclude its u	ise in sucl	n procedur	es. Suggested workin	g dilutions are given as		
	a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.						
Target Species	Bacterial						
Product Form	Purified IgG - liquid						
Buffer Solution	Phosphate buffered salir	ne					
Preservative Stabilisers	0.1% Sodium Azide (Na	N <sub>3</sub> )					
Approx. Protein Concentrations	IgG concentration 5.0 m	g/ml					
Immunogen	Mixture of Salmonella er	nteriditis, S	S. typhimur	rium and S. heidelburg	g.		
RRID	AB_619545						
Specificity	Rabbit anti Salmonella	group ar	ntigen anti	<b>body</b> recognizes a Sa	<i>almonella</i> group antigen.		

Salmonella is a genus of the family Enterobacteriaceae populated by a variety of Gram negative rod-shaped bacteria, many of which are pathogenic and cause a range of diseases in humans. Salmonellae possess 3 major surface antigens: the H or flagellar antigen (phase 1 and 2), the O or somatic antigen (part of the LPS moiety) and the Vi or capsular antigen (referred to as K in other Enterobacteriaceae). Salmonellae also possess the LPS endotoxin characteristic of Gram negative bacteria. This LPS is composed of an O polysaccharide (O antigen) an R core and the endotoxic inner Lipid A.

Rabbit anti *Salmonella* group antigen antibody is polyvalent for *Salmonella* O and H antigens.

Rabbit anti *Salmonella* group antigen antibody is unabsorbed and may cross react with related *Enterobacteriaceae*.

References

1. Cloak, O.M. *et al.* (1999) Isolation and detection of *Listeria* spp, *Salmonella* spp and *Yersinia* spp using a simultaneous enrichment step followed by a surface adhesion immunofluorescent technique. <u>J Microbiol Methods. 39 (1): 33-43.</u>

2. Duffy, G. *et al.* (2000) A membrane-immunofluorescent-viability staining technique for the detection of Salmonella spp. from fresh and processed meat samples. <u>J Appl</u> <u>Microbiol. 89 (4): 587-94.</u>

3. Hunter, D.M. *et al.* (2010) Rapid detection and identification of bacterial pathogens by using an ATP bioluminescence immunoassay. <u>J Food Prot. 73: 739-46.</u>

4. Le, U.N. *et al.* (2011) Engineering and visualization of bacteria for targeting infarcted myocardium. <u>Mol Ther. 19 (5): 951-9.</u>

5. Ewald M *et al.* (2013) A robust sensor platform for label-free detection of anti-*Salmonella* antibodies using undiluted animal sera. <u>Anal Bioanal Chem. 405 (20):</u> 6461-9.

6. de Souza, S.O. *et al.* (2014) Osteomyelitis caused by *Salmonella enterica* serovar derby in boa constrictor. <u>J Zoo Wildl Med. 45 (3): 642-4.</u>

7. Kim, D.K. *et al.* (2014) Inverse agonist of estrogen-related receptor γ controls *Salmonella typhimurium* infection by modulating host iron homeostasis. <u>Nat Med. 20 (4):</u> 419-24.

8. Ewald, M. *et al.* (2015) A multi-analyte biosensor for the simultaneous label-free detection of pathogens and biomarkers in point-of-need animal testing. <u>Anal Bioanal</u> <u>Chem. 407 (14): 4005-13.</u>

9. Tian B *et al.* (2015) Blu-ray optomagnetic measurement based competitive immunoassay for *Salmonella* detection. Biosens Bioelectron. 77: 32-39.

10. Tian, B. *et al.* (2016) Multi-scale magnetic nanoparticle based optomagnetic bioassay for sensitive DNA and bacteria detection <u>Analytical Methods. 8 (25): 5009-16.</u>

11. Volpe, G. *et al.* (2016) Development and evaluation of an ELIME assay to reveal the presence of Salmonella in irrigation water: Comparison with Real-Time PCR and the Standard Culture Method. <u>Talanta. 149: 202-10.</u>

12. Tsougeni, K. *et al.* (2016) Plasma nanotextured polymeric lab-on-a-chip for highly efficient bacteria capture and lysis. Lab Chip. 16 (1): 120-31.

13. Cruz-Adalia, A. *et al.* (2016) T Cells Capture Bacteria by Transinfection from Dendritic Cells. J Vis Exp. (107): e52976.

14. Kastania, A. et al. (2017) Binding kinetics of bacteria cells on immobilized antibodies

	in microfluidic channels: Modeling and experiments <u>Sensors and Actuators B: Chemical.</u> 253: 247-57.			
	15. Farka, Z. <i>et al.</i> (2018) Prussian Blue Nanoparticles as a Catalytic Label in a Sandwich			
	Nanozyme-Linked Immunosorbent Assay. <u>Anal Chem. 90 (3): 2348-54.</u>			
	16. Schenk, F. <i>et al.</i> (2018) Development of a paper-based lateral flow immunoassay for			
	simultaneous detection of lipopolysaccharides of Salmonella serovars. Anal Bioanal			
	<u>Chem. 410 (3): 863-8.</u>			
	17. Tsougeni, K. <i>et al.</i> (2019) A modular integrated lab-on-a-chip platform for fast and			
	highly efficient sample preparation for foodborne pathogen screening Sensors and			
	Actuators B: Chemical. 288: 171-9.			
	18. Tsougeni, K. <i>et al.</i> (2019) A modular integrated lab-on-a-chip platform for fast and			
	highly efficient sample preparation for foodborne pathogen screening <u>Sensors and</u>			
	Actuators B: Chemical. 288: 171-9.			
	19. Angelopoulou, M. <i>et al.</i> (2021) Rapid Detection of <i>Salmonella typhimurium</i> in Drinking			
	Water by a White Light Reflectance Spectroscopy Immunosensor. <u>Sensors (Basel). 21 (8)</u> :			
	2683.			
	20. Makhneva, E. <i>et al.</i> (2018) Cyclopropylamine plasma polymer surfaces for label-free			
	SPR and QCM immunosensing of Salmonella Sensors and Actuators B: Chemical. 276:			
	447-455.			
	21. Moon, C.M. <i>et al.</i> (2020) <i>In Vivo</i> Bioluminescence Imaging for Targeting Acute			
	Hypoxic/Ischemic Small Intestine with Engineered Salmonella typhimurium. Mol Ther			
	Methods Clin Dev. 18: 484-492.			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in			
	frost-free freezers is not recommended.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/8209-4006 10040			
Regulatory	For research purposes only			

## **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (H/L) (STAR124...)HRP

North & South	Tel: +1 800 265 7376	Worldwide	
America	Fax: +1 919 878 3751		F
	Email: antibody_sales_u	s@bio-rad.com	E

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739 Email: antibody\_sales\_uk@bio-rad.com Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M418894:230427'

#### Printed on 10 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint