Datasheet: 9100-0004F BATCH NUMBER 150147

Description:	SHEEP ANTI HUMAN TRANSFERRIN:FITC
Specificity:	TRANSFERRIN
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Immunofluorescence	•					
	Where this product ha	s not been te	ested for u	se in a particular tech	nnique this does not		
	necessarily exclude its use in such procedures. Suggested working dilutions are given as						
	a guide only. It is recommended that the user titrates the product for use in their own						
	system using appropriate negative/positive controls.						
Target Species	Human						
Product Form	Purified IgG - liquid						
Max Ex/Em	Fluorophore	Excitation M	lax (nm)	Emission Max (nm)			
	FITC	490		525			
Antiserum Preparatio	n Antisera to human trai purified antigen. Purifi		-		ons of sheep with highly on protein G		
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)						
Approx. Protein Concentrations	IgG concentration 1.0mg/ml						
Immunogen	Pure human transferrin prepared from pooled normal human serum.						

Links	UniProt:				
	P02787 Related reagents				
	Entrez Gene:				
	7018 TF Related reagents				
RRID	AB_808755				
Specificity	Sheep anti Human transferrin antibody recognizes human transferrin, an approximate 80 kDa blood plasma glycoprotein synthesised by the liver, which contains two specific high affinity iron (Fe3+) binding sites and is responsible for the transport and supply of a exchangeable pool of iron, through binding to cell surface transferrin receptors.				
	Transferrin is the primary blood iron transport protein and under normal conditions, approximately one-third of total blood transferrin contains bound iron. Measurement of blood transferrin levels can be used as an indicator for blood iron-carrying capacity and abnormalities of iron metabolism such as anaemia, iron overload and haemochromatos				
	Sheep anti Human transferrin antibody shows minimal cross reactivity with related seru proteins.				
References	 Rouault, T.A. (2003) How mammals acquire and distribute iron needed for oxygen-based metabolism. <u>PLoS Biol. 1 (3): E79.</u> Olkhov, R. and Shaw, A.M. (2014) Growth kinetics of gold nanoparticles on silica/graphene surfaces for multiplex biological immunoassays. <u>RSC Adv., 2014,4,</u> <u>31678-84.</u> 				
Further Reading	1. Giannetti, A.M. <i>et al.</i> (2003) Mechanism for multiple ligand recognition by the human transferrin receptor. <u>PLoS Biol. 1 (3): E51.</u>				
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/9100-0004F 10040				

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363557:200528'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint