

Datasheet: 9202-0707 **BATCH NUMBER 153758** 

Description:	NATIVE HUMAN TROPONIN I (CARDIAC)
Name:	TROPONIN I (CARDIAC)
Format:	Purified
Product Type:	Purified Protein
Quantity:	10 μg

## **Product Details**

**Applications** 

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
ELISA				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified protein from human heart - liquid	
Buffer Solution	7M Urea 5mM EDTA 20mM Tris	
Preservative Stabilisers	15mM Mercaptoethanol	
Approx. Protein Concentrations	1.0 mg/ml	
External Database Links	UniProt: P19429 Related reagents  Entrez Gene:	
	7137 TNNI3 Related reagents	

lead to familial hypotrophic cardiomyopathy 7 (CMH7), a hereditary heart condition characterized by asymetric ventricular hypertrophy (Kimura et al. 1997). Other cardiomyopathies also occur as a result of mutations in the TNN13 gene (UniProt: P19429).  Purity SDS PAGE: >98%  References 1. Sharma, A. et al. (2016) Rapid electrical immunoassay of the cardiac biomarker troponin I through dielectrophoretic concentration using imbedded electrodes Biosens and Bioelectronics. 82: 78-84.  Storage Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee 12 months from date of despatch  Material Safety Datasheet documentation #10161 available at: https://www.bio-rad-antibodies.com/SDS/9202-0707 10161  Donor material tested and found negative for HIV1 and 2 antibodies, HBsAg, HCV an syphilis.	Synonyms	TNNC1
References  1. Sharma, A. et al. (2016) Rapid electrical immunoassay of the cardiac biomarker troponin I through dielectrophoretic concentration using imbedded electrodes Biosens and Bioelectronics. 82: 78-84.  Storage  Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Material Safety Datasheet documentation #10161 available at: https://www.bio-rad-antibodies.com/SDS/9202-0707 10161  Donor material tested and found negative for HIV1 and 2 antibodies, HBsAg, HCV an syphilis.  As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious  Regulatory  For research purposes only  Tel: +1800 285 7376  Worldwide  Tel: +44 (0)1865 852 700  Europe  Tel: +49 (0) 89 8090 95 21	Product Information	calcium sensitivity to muscle actomyosin ATPase activity. Mutation of the TNN13 gene calcium sensitivity to muscle actomyopathy 7 ( <u>CMH7</u> ), a hereditary heart condition characterized by asymetric ventricular hypertrophy ( <u>Kimura et al. 1997</u> ). Other cardiomyopathies also occur as a result of mutations in the TNN13 gene ( <u>UniProt</u> :
troponin I through dielectrophoretic concentration using imbedded electrodes Biosens and Bioelectronics. 82: 78-84.  Storage  Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Health And Safety Information  Material Safety Datasheet documentation #10161 available at: https://www.bio-rad-antibodies.com/SDS/9202-0707 10161  Donor material tested and found negative for HIV1 and 2 antibodies, HBsAg, HCV an syphilis.  As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious  Regulatory  For research purposes only  Tel: +1800 265 7376  Worldwide Tel: +44 (0)1865 852 700  Europe Tel: +49 (0) 89 8090 95 21	Purity	SDS PAGE: >98%
Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee 12 months from date of despatch  Health And Safety Material Safety Datasheet documentation #10161 available at: https://www.bio-rad-antibodies.com/SDS/9202-0707 10161  Donor material tested and found negative for HIV1 and 2 antibodies, HBsAg, HCV an syphilis.  As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious  Regulatory For research purposes only  Tel: +1800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21	References	troponin I through dielectrophoretic concentration using imbedded electrodes Biosensors
Health And Safety Information  Material Safety Datasheet documentation #10161 available at: https://www.bio-rad-antibodies.com/SDS/9202-0707 10161  Donor material tested and found negative for HIV1 and 2 antibodies, HBsAg, HCV an syphilis.  As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious  Regulatory  For research purposes only  worldwide  Tel: +44 (0)1865 852 700  Europe  Tel: +49 (0) 89 8090 95 21	Storage	Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this madenature the protein. Should this product contain a precipitate we recommend
Information  https://www.bio-rad-antibodies.com/SDS/9202-0707 10161  Donor material tested and found negative for HIV1 and 2 antibodies, HBsAg, HCV an syphilis.  As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious  Regulatory  For research purposes only  rth & South Tel: +1 800 265 7376  Worldwide Tel: +44 (0)1865 852 700  Europe Tel: +49 (0) 89 8090 95 21	Guarantee	12 months from date of despatch
As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious  Regulatory For research purposes only  rth & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21	-	https://www.bio-rad-antibodies.com/SDS/9202-0707
handled as potentially infectious  Regulatory For research purposes only  rth & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21		Donor material tested and found negative for HIV1 and 2 antibodies, HBsAg, HCV and syphilis.
rth & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21		As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious
(-)	Regulatory	For research purposes only
Email: antibody, calca, us@bia.rad.com	nerica Fax: +1 919 87	78 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363570:200528'

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

Printed on 01 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint

Email: antibody\_sales\_us@bio-rad.com