

# Datasheet: 9536-1130

### BATCH NUMBER 170207

Description:	RABBIT ANTI RAT ARG VASOPRESSIN RECEPTOR
Specificity:	ARG VASOPRESSIN RECEPTOR
Other names:	AVPR-V2
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µg

## **Product Details**

Applications	This product has been re derived from testing withi communications from the	n our lab	oratories,	peer-reviewed publica	tions or personal		
	information. For general p	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.					
	rad-antibodies.com/proto						
		Yes	No	Not Determined	Suggested Dilution		
	Immunohistology - Frozen						
	Immunohistology - Paraffin			-			
	ELISA						
	Western Blotting						
	Where this product has n	ot been t	ested for	use in a particular tech	inique this does not		
	necessarily exclude its us a guide only. It is recomm system using the appropr	nended th	at the us	er titrates the product f	•		
Target Species	Rat						
Species Cross Reactivity	Based on sequence simil <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications further information.	and workin testing w	ng conditi ithin our la	ons may vary between aboratories, peer-revie	species. Cross wed publications or		
Product Form	Purified IgG - liquid						
Preparation							
	Purified IgG prepared by	affinity cl	nromatogi	raphy.			

Preservative Stabilisers	0.1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	21 amino acid peptide from the 3rd cytoplasmic domain of rat AVP-V2.
External Database Links	UniProt: Q00788 Related reagents Entrez Gene:
	25108 Avpr2 Related reagents
RRID	AB_620510
Specificity	<b>Rabbit anti Rat ARG vasoressin receptor antibody</b> Arginine Vasopressin Receptor (AVPR-V2). The immunising peptide has no significant similarity with AVP V1a or V1b receptors.
Western Blotting	A glycosylated band at approximately 62 kD is observed using membranes from rat inner medulla. N-Glycanase reduces the size of this band to 36 kD (deglycosylated form).
References	1. Nonoguchi, H. <i>et al.</i> (1995) Immunohistochemical localization of V2 vasopressin receptor along the nephron and functional role of luminal V2 receptor in terminal inner medullary collecting ducts. <u>J Clin Invest. 96 (4): 1768-78.</u>
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10102 available at: https://www.bio-rad-antibodies.com/SDS/9536-1130 10102
Regulatory	For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34)	<u>FITC</u>
Goat Anti Rabbit IgG (H/L) (STAR124)	) <u>HRP</u>
Sheep Anti Rabbit IgG (STAR35)	<u>RPE</u>

### **Recommended Useful Reagents**

#### TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@b	io-rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M345815:190125'

#### Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint