

## Datasheet: AAI21

<b>Description:</b>	SHEEP ANTI BOVINE IgG1
<b>Specificity:</b>	IgG1
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 mg

## Product Details

**Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			■	
Immunohistology - Frozen			■	
Immunohistology - Paraffin			■	
ELISA	■			
Immunoprecipitation			■	
Western Blotting			■	
Immunodiffusion	■			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

**Target Species**

Bovine

**Product Form**

Purified IgG - liquid

**Antiserum Preparation** Antisera to bovine IgG1 were raised by repeated immunisation of sheep with highly purified antigen. Purified IgG prepared by affinity chromatography.

**Buffer Solution**

Phosphate buffered saline

**Preservative  
Stabilisers**

0.09% Sodium Azide

**Approx. Protein  
Concentrations**

IgG concentration 1.0 mg/ml

Immunogen	Purified bovine IgG1.
RRID	AB_323071
Specificity	<b>Sheep anti Bovine IgG1 polyclonal antibody</b> recognizes bovine IgG1.  No cross-reactivity with other bovine immunoglobulin classes is seen in immunoelectrophoresis. This product may cross-react with IgG1 from other species.
References	<ol style="list-style-type: none"><li>1. Makepeace, B.L. <i>et al.</i> (2009) Immunisation with a multivalent, subunit vaccine reduced patent infection in a natural bovine model of Onchocerciasis during intense field exposure. <a href="#">PLoS Negl. Trop. Dis. 3: e544.</a></li><li>2. Colwell, D.D. <i>et al.</i> (2010) <i>Dicrocoelium dendriticum</i> in cattle from Cypress Hills, Canada: Humoral response and preliminary evaluation of an ELISA. <a href="#">Vet Parasitol. 174: 162-5.</a></li><li>3. Assad, A. <i>et al.</i> (2012) Immunophenotyping and characterization of BNP colostra revealed pathogenic alloantibodies of IgG1 subclass with specificity to platelets, granulocytes and monocytes of all maturation stages. <a href="#">Vet Immunol Immunopathol. 147: 25-34.</a></li><li>4. Ploegaert, T.C. <i>et al.</i> (2010) Genetic variation of natural antibodies in milk of Dutch Holstein-Friesian cows. <a href="#">J Dairy Sci. 93: 5467-73.</a></li><li>5. Lavoria, M.Á. <i>et al.</i> (2012) Avidity and subtyping of specific antibodies applied to the indirect assessment of heterologous protection against Foot-and-Mouth Disease Virus in cattle. <a href="#">Vaccine. 30: 6845-50.</a></li><li>6. Mansilla, F.C. <i>et al.</i> (2013) Dose-dependent immunogenicity of a soluble <i>Neospora caninum</i> tachyzoite-extract vaccine formulated with a soy lecithin/β-glucan adjuvant in cattle. <a href="#">Vet Parasitol. pii: S0304-4017(13)00252-5.</a></li><li>7. Panadero, R. <i>et al.</i> (2013) Effect of reinfestations on systemic immune responses in cattle naturally infested by <i>Hypoderma</i> sp. (Diptera: Oestridae). <a href="#">Vet Parasitol. 193: 238-44.</a></li><li>8. Van Meulder, F. <i>et al.</i> (2013) Granule exocytosis of granzyme B as a potential key mechanism in vaccine-induced immunity in cattle against the nematode <i>Ostertagia ostertagi</i>. <a href="#">Infect Immun. 81: 1798-809.</a></li><li>9. Vordermeier, H.M. <i>et al.</i> (2003) Improved immunogenicity of DNA vaccination with mycobacterial HSP65 against bovine tuberculosis by protein boosting. <a href="#">Vet Microbiol. 93: 349-59.</a></li><li>10. Hansen, E.R. <i>et al.</i> (1989) Cutaneous T-cell lymphoma lesional epidermal cells activate autologous CD4+ T lymphocytes: involvement of both CD1+OKM5+ and CD1+OKM5- antigen-presenting cells. <a href="#">J Invest Dermatol. 94: 485-91.</a></li><li>11. Fiedor, C. <i>et al.</i> (2009) Evaluation of a milk ELISA for the serodiagnosis of <i>Dictyocaulus viviparus</i> in dairy cows. <a href="#">Vet Parasitol. 166: 255-61.</a></li><li>12. Almería, S. <i>et al.</i> (2009) Specific anti-<i>Neospora caninum</i> IgG1 and IgG2 antibody responses during gestation in naturally infected cattle and their relationship with gamma interferon production. <a href="#">Vet Immunol Immunopathol. 130: 35-42.</a></li><li>13. Trotta, M. <i>et al.</i> (2015) Simultaneous immunization of cattle with foot-and-mouth disease (FMD) and live anthrax vaccines do not interfere with FMD booster responses <a href="#">Trials in Vaccinology. 4: 38-42.</a></li><li>14. Prado, M.E. <i>et al.</i> (2011) Vaccination of dairy cows with recombinant <i>Streptococcus</i></li></ol>

- uberis* adhesion molecule induces antibodies that reduce adherence to and internalization of *S. uberis* into bovine mammary epithelial cells. *Vet Immunol Immunopathol.* 141: 201-8.
15. von Holtum, C. et al. (2008) Development and evaluation of a recombinant antigen-based ELISA for serodiagnosis of cattle lungworm. *Vet Parasitol.* 151: 218-26.
  16. Van Neerven, R.J. et al. (2010) Milk derived antigen-specific antibodies, methods of preparation and uses thereof. [US Patent application no: US20100129377 A1](#)
  17. Grit, G.H. et al. (2014) Evaluation of cellular and humoral systemic immune response against *Giardia duodenalis* infection in cattle. *Vet Parasitol.* 202: 145-55.
  18. van Diemen, P.M. et al. (2007) Subunit vaccines based on intimin and Efa-1 polypeptides induce humoral immunity in cattle but do not protect against intestinal colonisation by enterohaemorrhagic *Escherichia coli* O157:H7 or O26:H-. *Vet Immunol Immunopathol.* 116: 47-58.
  19. Riffault, S. et al. (2010) A new subunit vaccine based on nucleoprotein nanoparticles confers partial clinical and virological protection in calves against bovine respiratory syncytial virus. *Vaccine.* 28: 3722-34.
  20. Vázquez, L. et al. (2012) Antigen-specific antibody isotypes, lymphocyte subsets and cytokine profiles in cattle naturally infested by *Hypoderma* sp. (Diptera: Oestridae). *Vet Parasitol.* 184: 230-7.
  21. Patarroyo, J.H. et al. (2009) Immune response of bovines stimulated by synthetic vaccine SBm7462 against *Rhipicephalus (Boophilus) microplus*. *Vet Parasitol.* 166: 333-9.
  22. Maree, F.F. et al. (2015) Intra-serotype SAT2 chimeric foot-and-mouth disease vaccine protects cattle against FMDV challenge. *Vaccine.* 33 (25): 2909-16.
  23. Rybczak, J. et al. (2017) Effects of lactoferrin treatment on *Escherichia coli* O157:H7 rectal colonization in cattle. *Vet Microbiol.* 202: 38-46.
  24. Bautista-Garfias, C.R. et al. (2015) Co-immunization of cattle with a vaccine against babesiosis and *Lactobacillus casei* increases specific IgG1 levels to *Babesia bovis* and *B. bigemina*. *Parasitol Int.* 64 (5): 319-23.
  25. González-Hernández A et al. (2016) Host protective ASP-based vaccine against the parasitic nematode *Ostertagia ostertagi* triggers NK cell activation and mixed IgG1-IgG2 response. *Sci Rep.* 6: 29496.
  26. Scott, K.A. et al. (2017) Evaluation of immune responses of stabilised SAT2 antigens of foot-and-mouth disease in cattle. *Vaccine.* 35 (40): 5426-33.
  27. Sheng, Z.A. et al. (2019) Th2-related cytokines are associated with *Fasciola gigantica* infection and evasion in the natural host, swamp buffalo. *Vet Parasitol.* 268: 73-80.
  28. Jiménez-Pelayo, L. et al. (2019) Early *Neospora caninum* infection dynamics in cattle after inoculation at mid-gestation with high (Nc-Spain7)- or low (Nc-Spain1H)-virulence isolates. *Vet Res.* 50 (1): 72.

<b>Storage</b>	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>
<b>Regulatory</b>	For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Sheep IgG (H/L) (5184-2304...) [Biotin](#)

Donkey Anti Sheep IgG (STAR88...) [DyLight®488](#), [HRP](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](http://bio-rad-antibodies.com/datasheets)

'M363599:200528'

**Printed on 22 Mar 2021**

---

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)