

# Datasheet: AAI22P BATCH NUMBER 156492

Description:	SHEEP ANTI BOVINE IgG2:HRP		
Specificity:	lgG2		
Format:	HRP		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	1 mg		

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
	Yes No Not Determined Suggested Dilution							
	Immunohistology - Frozen			•				
	Immunohistology - Paraffin			•				
	ELISA	-			1/10,000 - 1/100,000			
	Western Blotting			•				
	Where this antibody has	not been	tested for	use in a particular teo	hnique this does not			
	necessarily exclude its us	se in such	procedur	es. Suggested workin	g dilutions are given as			
	a guide only. It is recomn system using the approp			-	for use in their own			
Target Species	Bovine							
Product Form	Purified IgG conjugated t	o Horsera	dish Pero	xidase (HRP) - liquid				
Antiserum Preparatio	n Antisera to bovine IgG2 v purified antigen. Purified		• •					
Buffer Solution	Phosphate buffered salin	e						
Preservative Stabilisers	0.05% Proclin™ 300							
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml							
Immunogen	Purified bovine IgG2.							

RRID	AB_323066
Specificity	Sheep anti Bovine IgG2 polyclonal antibody recognizes bovine IgG2.
	No cross - reactivity with other bovine immunoglobulin classes is seen in immunoelectrophoresis. This product may cross-react with IgG2 from other species.
References	<ul> <li>immunoelectrophoresis. This product may cross-react with IgG2 from other species.</li> <li>1. Makepeace, B.L. <i>et al.</i> (2009) Immunisation with a multivalent, subunit vaccine reduced patent infection in a natural bovine model of Onchocerciasis during intense field exposure. PLoS Negl. Trop. Dis. 3: e544.</li> <li>2. Colwell, D.D. &amp; Goater, C.P. (2010) <i>Dicrocoelium dendriticum</i> in cattle from Cypress Hills, Canada: humoral response and preliminary evaluation of an ELISA. <u>Vet Parasitol.</u> 174 (1-2): 162-5.</li> <li>3. Assad, A. <i>et al.</i> (2012) Immunophenotyping and characterization of BNP colostra revealed pathogenic alloantibodies of IgG1 subclass with specifity to platelets, granulocytes and monocytes of all maturation stages. <u>Vet Immunol Immunopathol.</u> 147: 25-34.</li> <li>4. Agnes, J.T. <i>et al.</i> (2011) Identification of <i>Anaplasma marginale</i> Outer Membrane Protein Antigens Conserved between <i>A. marginale</i> Sensu Stricto Strains and the Live A. <i>marginale</i> subsp. centrale Vaccine Infect Immun. 79: 1311-8.</li> <li>5. Lavoria, M.A. <i>et al.</i> (2012) Avidity and subtyping of specific antibodies applied to the indirect assessment of heterologous protection against Foot-and-Mouth Disease Virus in cattle. <u>Vaccine.</u> 30: 6845-50.</li> <li>6. Vordermeier, H.M. <i>et al.</i> (2013) Improved immunogenicity of DNA vaccination with mycobacterial HSP65 against bovine tuberculosis by protein boosting. <u>Vet Microbiol.</u> 93: 349-59.</li> <li>7. Mansilla, F.C. <i>et al.</i> (2013) Dose-dependent immunogenicity of a soluble Neospora caninum tachyzoite-extract vaccine formulated with a soy lecithin/β-glucan adjuvant in cattle. neturally infested by <i>Hypoderma sp.</i> (Diptera: Cestridae). <u>Vet Parasitol.</u> 193: 238-44.</li> <li>9. Ploegaert, T.C. <i>et al.</i> (2013) Granule exocytosis of granulysin and granzyme B as a potential hey mechanism in vaccine-induced immunity in cattle against the nematode <i>Ostertagia ostertagi.</i> Infect Immun. 81: 1798-809.</li> <li>11. Maree, F.F. <i>et al.</i> (2013) Granule exocytosis of granulysin and granzyme B</li></ul>
	<ul> <li>cattle naturally infested by <i>Hypoderma sp.</i> (Diptera: Oestridae). <u>Vet Parasitol. 193:</u> 238-44.</li> <li>9. Ploegaert, T.C. <i>et al.</i> (2010) Genetic variation of natural antibodies in milk of Dutch Holstein-Friesian cows. <u>J Dairy Sci. 93: 5467-73.</u></li> <li>10. Van Meulder, F. <i>et al.</i> (2013) Granule exocytosis of granulysin and granzyme B as a potential key mechanism in vaccine-induced immunity in cattle against the nematode <i>Ostertagia ostertagi.</i> <u>Infect Immun. 81: 1798-809.</u></li> <li>11. Maree, F.F. <i>et al.</i> (2015) Intra-serotype SAT2 chimeric foot-and-mouth disease vaccine protects cattle against FMDV challenge. <u>Vaccine. 33 (25): 2909-16.</u></li> <li>12. Rybarczyk, J. <i>et al.</i> (2017) Effects of lactoferrin treatment on Escherichia coli O157:Hi rectal colonization in cattle. <u>Vet Microbiol. 202: 38-46.</u></li> <li>13. González-Hernández A <i>et al.</i> (2016) Host protective ASP-based vaccine against the parasitic nematode Ostertagia ostertagi triggers NK cell activation and mixed IgG1-IgG2 response. <u>Sci Rep. 6: 29496.</u></li> </ul>

	<ul> <li>of foot-and-mouth disease in cattle. <u>Vaccine. 35 (40): 5426-33.</u></li> <li>16. Sheng, Z.A. <i>et al.</i> (2019) Th2-related cytokines are associated with <i>Fasciola gigantica</i> infection and evasion in the natural host, swamp buffalo. <u>Vet Parasitol. 268: 73-80.</u></li> <li>17. Bucafusco, D .<i>et al.</i> (2019) Immune cells transferred by colostrum do not influence the immune responses to foot-and-mouth disease primary vaccination. <u>J Dairy Sci. 102 (9): 8376-84.</u></li> <li>18. Jiménez-Pelayo, L. <i>et al.</i> (2019) Early <i>Neospora caninum</i> infection dynamics in cattle after inoculation at mid-gestation with high (Nc-Spain7)- or low (Nc-Spain1H)-virulence isolates. <u>Vet Res. 50 (1): 72.</u></li> <li>19. Rainard, P. <i>et al.</i> (2017) Cellular and humoral immune response to recombinant <i>Escherichia coli.</i> OmpA in cows. <u>PLoS One. 12 (10): e0187369.</u></li> <li>20. Springer, A.<i>et al.</i> (2022) Immunization Trials with Recombinant Major Sperm Protein of the Bovine Lungworm <i>Dictyocaulus viviparus.</i>. <u>Pathogens 2022, 11, 55.</u></li> </ul>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	Proclin™ 300 is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.
Health And Safety Information	Material Safety Datasheet documentation #20392 available at: https://www.bio-rad-antibodies.com/SDS/AAI22P 20392
Regulatory	For research purposes only

### **Related Products**

### **Recommended Useful Reagents**

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M363607:200528'

#### Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint