

Datasheet: AAI22P

Description:	SHEEP ANTI BOVINE IgG2:HRP
Specificity:	lgG2
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	-			1/10,000 - 1/100,000
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

Target Species	Bovine	
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liq	uid
Antiserum Preparation	Antisera to bovine IgG2 were raised by repeated immunisation purified antigen. Purified IgG prepared by affinity chromatogra	
Buffer Solution	Phosphate buffered saline.	
Preservative Stabilisers	0.05% ProClin 300	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml.	
Immunogen	Purified bovine IgG2.	

Specificity

Sheep anti Bovine IgG2 polyclonal antibody recognizes bovine IgG2.

No cross - reactivity with other bovine immunoglobulin classes is seen in immunoelectrophoresis. This product may cross-react with IgG2 from other species.

References

- 1. Makepeace, B.L. *et al.* (2009) Immunisation with a multivalent, subunit vaccine reduced patent infection in a natural bovine model of Onchocerciasis during intense field exposure. PLoS Negl. Trop. Dis. 3: e544.
- 2. Colwell, D.D. & Goater, C.P. (2010) *Dicrocoelium dendriticum* in cattle from Cypress Hills, Canada: humoral response and preliminary evaluation of an ELISA. <u>Vet Parasitol.</u> 174 (1-2): 162-5.
- 3. Agnes, J.T. *et al.* (2011) Identification of *Anaplasma marginale* Outer Membrane Protein Antigens Conserved between *A. marginale* Sensu Stricto Strains and the Live *A. marginale* subsp. centrale Vaccine Infect Immun. 79: 1311-8.
- 4. Assad, A. *et al.* (2012) Immunophenotyping and characterization of BNP colostra revealed pathogenic alloantibodies of IgG1 subclass with specifity to platelets, granulocytes and monocytes of all maturation stages. <u>Vet Immunol Immunopathol. 147: 25-34.</u>
- 5. Lavoria, M.Á. *et al.* (2012) Avidity and subtyping of specific antibodies applied to the indirect assessment of heterologous protection against Foot-and-Mouth Disease Virus in cattle. Vaccine. 30: 6845-50.
- 6. Mansilla, F.C. *et al.* (2013) Dose-dependent immunogenicity of a soluble Neospora caninum tachyzoite-extract vaccine formulated with a soy lecithin/β-glucan adjuvant in cattle. Vet Parasitol. 197 (1-2): 13-21.
- 7. Panadero, R. *et al.* (2013) Effect of reinfestations on systemic immune responses in cattle naturally infested by *Hypoderma sp.* (Diptera: Oestridae). <u>Vet Parasitol. 193:</u> 238-44.
- 8. Van Meulder, F. *et al.* (2013) Granule exocytosis of granulysin and granzyme B as a potential key mechanism in vaccine-induced immunity in cattle against the nematode *Ostertagia ostertagi.* Infect Immun. 81: 1798-809.
- 9. Pecora, A. *et al.* (2015) Development of an APC-targeted multivalent E2-based vaccine against Bovine Viral Diarrhea Virus types 1 and 2. <u>Vaccine</u>. 33 (39): 5163-71.
- 10. Maree, F.F. *et al.* (2015) Intra-serotype SAT2 chimeric foot-and-mouth disease vaccine protects cattle against FMDV challenge. <u>Vaccine</u>. 33 (25): 2909-16.
- 11. González-Hernández A *et al.* (2016) Host protective ASP-based vaccine against the parasitic nematode Ostertagia ostertagi triggers NK cell activation and mixed IgG1-IgG2 response. Sci Rep. 6: 29496.
- 12. Rainard, P. *et al.* (2017) Cellular and humoral immune response to recombinant *Escherichia coli*. OmpA in cows. <u>PLoS One. 12 (10): e0187369.</u>
- 13. Scott, K.A. *et al.* (2017) Evaluation of immune responses of stabilised SAT2 antigens of foot-and-mouth disease in cattle. <u>Vaccine</u>. 35 (40): 5426-33.
- 14. Rybarczyk, J. *et al.* (2017) Effects of lactoferrin treatment on Escherichia coli O157:H7 rectal colonization in cattle. <u>Vet Microbiol. 202: 38-46.</u>
- 15. Sheng, Z.A. *et al.* (2019) Th2-related cytokines are associated with *Fasciola gigantica* infection and evasion in the natural host, swamp buffalo. Vet Parasitol. 268: 73-80.

16. Bucafusco, D .et al. (2019) Immune cells transferred by colostrum do not influence the immune responses to foot-and-mouth disease primary vaccination. J Dairy Sci. 102 (9): 8376-84.

17. Jiménez-Pelayo, L. et al. (2019) Early Neospora caninum infection dynamics in cattle after inoculation at mid-gestation with high (Nc-Spain7)- or low (Nc-Spain1H)-virulence isolates. Vet Res. 50 (1): 72.

18. Springer, A.et al. (2022) Immunization Trials with Recombinant Major Sperm Protein of the Bovine Lungworm Dictyocaulus viviparus.. Pathogens 2022, 11, 55.

Storage Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. Should this product contain a precipitate we

recommend microcentrifugation before use.

Guarantee 12 months from date of despatch.

Acknowledgements ProClin is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of

Dow.

Health And Safety Information

Material Safety Datasheet documentation #20392 available at:

https://www.bio-rad-antibodies.com/SDS/AAI22P

20392

Regulatory For research purposes only.

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A)

AbGUARD® HRP STABILIZER PLUS (BUF052B)

AbGUARD® HRP STABILIZER PLUS (BUF052C)

TMB CORE (BUF056A)

TMB CORE+ (BUF062A)

TMB SIGNAL+ (BUF054A)

America

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M428040:240301'

Printed on 29 Aug 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint