

Datasheet: AAI23B

**BATCH NUMBER 163678**

<b>Description:</b>	SHEEP ANTI BOVINE IgG:Biotin
<b>Specificity:</b>	IgG
<b>Format:</b>	Biotin
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1:10000 - 1:100000
Western Blotting	▪			1:10000 - 1:100000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Bovine
<b>Product Form</b>	Purified IgG fraction conjugated to Biotin - liquid
<b>Antiserum Preparation</b>	Antisera to bovine IgG were raised by repeated immunisation of sheep with highly purified antigen. Purified IgG was prepared by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml

Immunogen	Purified bovine IgG.
RRID	AB_10671784
Specificity	<p><b>Sheep anti Bovine IgG polyclonal antibody</b> recognizes bovine IgG and shows no cross - reactivity with other bovine immunoglobulin classes in immunoelectrophoresis. This polyclonal antibody has not been cross adsorbed and may therefore react with IgG from other species</p> <p>Sheep anti Bovine IgG has been usefully employed for the detection of antigen specific antibody reactivity in cattle by ELISA (<a href="#">Vrieling <i>et al.</i> 2013</a>).</p>
References	<ol style="list-style-type: none"> <li>Naylor, S.W. <i>et al.</i> (2007) Impact of the direct application of therapeutic agents to the terminal recta of experimentally colonized calves on Escherichia coli O157:H7 shedding. <a href="#">Appl Environ Microbiol. 73: 1493-500.</a></li> <li>Cortes, H.C. <i>et al.</i> (2007) Application of conventional and real-time fluorescent ITS1 rDNA PCR for detection of <i>Besnoitia besnoiti</i>. infections in bovine skin biopsies. <a href="#">Vet Parasitol. 146 (3-4): 352-6.</a></li> <li>Bridger, P.S. <i>et al.</i> (2011) Detection of colostrum-derived alloantibodies in calves with bovine neonatal pancytopenia. <a href="#">Vet Immunol Immunopathol. 141: 1-10.</a></li> <li>Waap, H. <i>et al.</i> (2011) A modified agglutination test for the diagnosis of <i>Besnoitia besnoiti</i>. infection. <a href="#">Vet Parasitol. 178 (3-4): 217-22.</a></li> <li>Grant, C.F. <i>et al.</i> (2012) Assessment of T-dependent and T-independent immune responses in cattle using a B cell ELISPOT assay. <a href="#">Vet Res. 43: 68.</a></li> <li>Duncombe, L. <i>et al.</i> (2013) Investigating the Use of Protein Saver Cards for Storage and Subsequent Detection of Bovine Anti-Brucella abortus Smooth Lipopolysaccharide Antibodies and Gamma Interferon. <a href="#">Clin Vaccine Immunol. 20: 1669-74.</a></li> <li>Vrieling, M. <i>et al.</i> (2013) Hsp70 vaccination-induced primary immune responses in efferent lymph of the draining lymph node. <a href="#">Vaccine. 31 (42): 4720-7.</a></li> <li>Somda, M.B. <i>et al.</i> (2013) First insights into the cattle serological response to tsetse salivary antigens: a promising direct biomarker of exposure to tsetse bites. <a href="#">Vet Parasitol. 197 (1-2): 332-40.</a></li> <li>Hosking, C.G. <i>et al.</i> (2015) Using the local immune response from the natural buffalo host to generate an antibody fragment library that binds the early larval stages of <i>Schistosoma japonicum</i>. <a href="#">Int J Parasitol. 45 (11): 729-40.</a></li> <li>Subharat, S. <i>et al.</i> (2015) Vaccination of cattle with a methanogen protein produces specific antibodies in the saliva which are stable in the rumen. <a href="#">Vet Immunol Immunopathol. 164 (3-4): 201-7.</a></li> <li>Facciuolo, A. <i>et al.</i> (2016) Marked Differences in Mucosal Immune Responses Induced in Ileal versus Jejunal Peyer's Patches to <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> Secreted Proteins following Targeted Enteric Infection in Young Calves. <a href="#">PLoS One. 11 (7): e0158747.</a></li> <li>Somda, M.B. <i>et al.</i> (2016) Identification of a Tsal152-75 salivary synthetic peptide to monitor cattle exposure to tsetse flies. <a href="#">Parasit Vectors. 9 (1): 149.</a></li> <li>Benedictus, L. <i>et al.</i> (2016) Pregnancy boosts vaccine-induced Bovine Neonatal Pancytopenia-associated alloantibodies. <a href="#">Vaccine. 34 (8): 1002-5.</a></li> <li>Denholm, S.J. <i>et al.</i> (2018) Immune-associated traits measured in milk of Holstein-Friesian cows as proxies for blood serum measurements. <a href="#">J Dairy Sci. 101 (11):</a></li> </ol>

[10248-10258.](#)

15. Alo, K *et al.* (2018) Passive protective effect of anti-K99 antibodies against enterotoxigenic *E.coli.* infection in neonatal calves [Ir J of Vet Med, 12\(2\), 97-107](#)

16. Springer, A. *et al.* (2022) Immunization Trials with Recombinant Major Sperm Protein of the Bovine Lungworm *Dictyocaulus viviparus.* [Pathogens 2022, 11, 55.](#)

17. Anastácio, C. *et al.* (2022) Impact of Endemic Besnoitiosis on the Performance of a Dairy Cattle Herd. [Animals \(Basel\). 12 \(10\): 1291.](#)

---

**Storage** Store at +4°C. DO NOT FREEZE.  
This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10040 available at:  
<https://www.bio-rad-antibodies.com/SDS/AAI23B>  
10040

---

**Regulatory** For research purposes only

---

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M363610:200528'

**Printed on 18 Apr 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)