

Datasheet: AAI26 BATCH NUMBER 153250

| Description: | GOAT ANTI CAT IgG (Fc) | | |
|---------------|------------------------|--|--|
| Specificity: | lgG (Fc) | | |
| Format: | Purified | | |
| Product Type: | Polyclonal Antibody | | |
| Isotype: | Polyclonal IgG | | |
| Quantity: | 1 mg | | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> | | | | | | | |
|-------------------|--|---|------------|-----------------------|-------------------------|--|--|--|
| | rad-antibodies.com/protocols. | | | | | | | |
| | | Yes | No | Not Determined | Suggested Dilution | | | |
| | Flow Cytometry | | | • | | | | |
| | Immunohistology - Frozen | | | | | | | |
| | Immunohistology - Paraffin | | | • | | | | |
| | ELISA | - | | | 1/100 - 1/1000 | | | |
| | Immunoprecipitation | | | | | | | |
| | Western Blotting | | | - | | | | |
| | Immunodiffusion | • | | | | | | |
| | Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls. | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Species Cross | Reacts with: Iberian Lynx | k, Rabbit | | | | | | |
| Reactivity | N.B. Antibody reactivity and working conditions may vary between species. Cross | | | | | | | |
| | | reactivity is derived from testing within our laboratories, peer-reviewed publications or | | | | | | |
| | personal communications from the originators. Please refer to references indicated for | | | | | | | |
| | further information. | | , enginate | | | | | |
| Product Form | Purified IgG - liquid | | | | | | | |
| Antiserum Prepara | tion Antisera to feline IgG we | re raised | by repeat | ed immunisation of go | at with highly purified | | | |

antigen. Purified IgG prepared by affinity chromatography.

| Buffer Solution | Phosphate buffered saline |
|-----------------------------------|--|
| Preservative Stabilisers | 0.09% Sodium Azide |
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |
| Immunogen | Purified feline IgG (Fc) fragment. |
| RRID | AB_323011 |
| Specificity | Goat anti cat IgG (Fc) antibody recognizes feline IgG (Fc) and shows no cross-reactivity with other feline immunoglobulin classes in immunoelectrophoresis. |
| References | De Craeye, S. <i>et al.</i> (2008) Prevalence of <i>Toxoplasma gondii</i> infection in Belgian house cats. <u>Vet Parasitol. 157:128-32</u>. Saari, S. <i>et al.</i> (2008) A nonhealing ulcerative skin lesion associated with <i>Trichinella nativa</i> infection in a cat. <u>J Vet Diagn Invest. 20:839-43</u>. Norris, C.R. <i>et al.</i> (2003) Production of polyclonal antisera against feline immunoglobulin E and its use in an ELISA in cats with experimentally induced asthma. <u>Vet Immunol Immunopathol. 96: 149-57</u>. Jiménez, A. <i>et al.</i> (2008) Membranous glomerulonephritis in the Iberian lynx (<i>Lynx pardinus</i>). <u>Vet Immunol Immunopathol. 121: 34-43</u>. Tochikura, T.S. <i>et al.</i> (2010) Differential CXCR4 expression and function in subpopulations of the feline lymphoma cell line 3201 susceptible to feline immunodeficiency virus. <u>J Feline Med Surg. 12: 269-77</u>. Persichetti, M.F. <i>et al.</i> (2017) Diagnostic performance of ELISA, IFAT and Western blot for the detection of anti-<i>Leishmania infantum</i> antibodies in cats using a Bayesian analysis without a gold standard. <u>Parasit Vectors. 10 (1): 119</u>. Alvarez-Guerrero C <i>et al.</i> (2014) Pathological and parasitological traits in experimentally infected cats with <i>Gnathostoma binucleatum</i> (Spirurida: Gnathostomatidae). <u>Vet Parasitol.</u> 204 (3-4): 279-84. Pereira, A. <i>et al.</i> (2022) A cross- sectional study of Leishmania infantum infection in stray cats in Algiers' suburbs, Algeria, and evaluation of serological and molecular tests for its diagnosis <u>Veterinaria 71 (1): 73-83</u>. |
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use. |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AAI26 10040 |

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 |
|---------------|----------------------------|------------|------------------------------|----------|--------------------------------------|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | | Fax: +49 (0) 89 8090 95 50 |
| | Email: antibody_sales_us@b | io-rad.com | Email: antibody_sales_uk@bic | -rad.com | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363618:200528'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint