

## Datasheet: AAI26

#### **BATCH NUMBER 170130**

| Description:  | GOAT ANTI CAT IgG (Fc) |
|---------------|------------------------|
| Specificity:  | IgG (Fc)               |
| Format:       | Purified               |
| Product Type: | Polyclonal Antibody    |
| Isotype:      | Polyclonal IgG         |
| Quantity:     | 1 mg                   |

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                            | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry             |     |    | •              |                    |
| Immunohistology - Frozen   |     |    |                |                    |
| Immunohistology - Paraffin |     |    |                |                    |
| ELISA                      | •   |    |                | 1/100 - 1/1000     |
| Immunoprecipitation        |     |    |                |                    |
| Western Blotting           |     |    | •              |                    |
| Immunodiffusion            |     |    |                |                    |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

|                             | eyetem semig are appropriate negative, peculies contacts   |
|-----------------------------|--|
| Target Species              | Cat  |
| Species Cross<br>Reactivity | Reacts with: Iberian Lynx, Rabbit <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. |
| Product Form                | Purified IgG - liquid  |
| Antiserum Preparation       | Antisera to feline IgG were raised by repeated immunisation of goat with highly purified antigen. Purified IgG prepared by affinity chromatography.  |

| Buffer Solution                  | Phosphate buffered saline   |
|----------------------------------|---|
| Preservative<br>Stabilisers      | 0.09% Sodium Azide  |
| Approx. Protein Concentrations   | IgG concentration 1.0 mg/ml   |
| Immunogen                        | Purified feline IgG (Fc) fragment.  |
| RRID                             | AB_323011   |
| Specificity                      | <b>Goat anti cat IgG (Fc) antibody</b> recognizes feline IgG (Fc) and shows no cross-reactivity with other feline immunoglobulin classes in immunoelectrophoresis.  |
| References                       | <ol> <li>De Craeye, S. et al. (2008) Prevalence of <i>Toxoplasma gondii</i> infection in Belgian house cats. Vet Parasitol. 157:128-32.</li> <li>Saari, S. et al. (2008) A nonhealing ulcerative skin lesion associated with <i>Trichinella nativa</i> infection in a cat. J Vet Diagn Invest. 20:839-43.</li> <li>Norris, C.R. et al. (2003) Production of polyclonal antisera against feline immunoglobulin E and its use in an ELISA in cats with experimentally induced asthma. Vet Immunol Immunopathol. 96: 149-57.</li> <li>Jiménez, A. et al. (2008) Membranous glomerulonephritis in the Iberian lynx (<i>Lynx pardinus</i>). Vet Immunol Immunopathol. 121: 34-43.</li> <li>Tochikura, T.S. et al. (2010) Differential CXCR4 expression and function in subpopulations of the feline lymphoma cell line 3201 susceptible to feline immunodeficiency virus. J Feline Med Surg. 12: 269-77.</li> <li>Persichetti, M.F. et al. (2017) Diagnostic performance of ELISA, IFAT and Western blot for the detection of anti-<i>Leishmania infantum</i> antibodies in cats using a Bayesian analysis without a gold standard. Parasit Vectors. 10 (1): 119.</li> <li>Alvarez-Guerrero C et al. (2014) Pathological and parasitological traits in experimentally infected cats with <i>Gnathostoma binucleatum</i> (Spirurida: Gnathostomatidae). Vet Parasitol. 204 (3-4): 279-84.</li> <li>Pereira, A. et al. (2019) Antibody response to <i>Phlebotomus perniciosus</i> saliva in cats naturally exposed to phlebotomine sand flies is positively associated with <i>Leishmania</i> infection. Parasit Vectors. 12 (1): 128.</li> <li>Cherif, A.M. et al. (2022) A cross- sectional study of Leishmania infantum infection in stray cats in Algiers' suburbs, Algeria, and evaluation of serological and molecular tests for its diagnosis Veterinaria 71 (1): 73-83.</li> </ol> |
| Storage                          | Store at +4°C. DO NOT FREEZE.  This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.  |
| Guarantee                        | 12 months from date of despatch   |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AAI26">https://www.bio-rad-antibodies.com/SDS/AAI26</a> 10040  |

**Regulatory** For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

North & South Tel: +1 800 265 7376

**Worldwide** Tel: +44 (0)1865 852 700

**Europe** Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363618:200528'

#### Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint