

Datasheet: AAI26F BATCH NUMBER 151880

Specificity:IgG (Fc)Format:FITCProduct Type:Polyclonal AntibodyIsotype:Polyclonal IgG	GOAT ANTI CAT IgG (Fc):FITC			
Product Type: Polyclonal Antibody				
Isotype: Polyclonal IgG	Polyclonal Antibody			
	Polyclonal IgG			
Quantity: 1 mg				

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
	Flow Cytometry	Yes No	Not Determined	Suggested Dilution				
	Immunohistology - Froze	- -		1/50 - 1/500				
	Immunohistology - Paraff		•	1/30 - 1/300				
	Immunofluorescence		-					
		Where this antibody has not been tested for use in a particular technique this does not						
		necessarily exclude its use in such procedures. Suggested working dilutions are given as						
Towned Species	system using the appro		e user titrates the antibody ositive controls.	y for use in their own				
Target Species	Cat							
Species Cross	Reacts with: Iberian Ly	nx, Rabbit						
Reactivity	reactivity is derived fro	m testing within o	nditions may vary betwee ur laboratories, peer-revi nators. Please refer to ref	ewed publications or				
Product Form	Purified IgG conjugate	d to Fluorescein	sothiocyanate Isomer 1 (FITC) - liquid				
Max Ex/Em	Fluorophore	Excitation Max (I	m) Emission Max (nm)					

Antiserum Preparation Antisera to feline IgG were raised by repeated immunisation of goat with highly purified antigen. Purified IgG prepared by affinity chromatography using antigen coupled to agarose beads.

Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers						
	0.2% Bovine Serum Albumin					
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml					
Immunogen	Purified feline IgG (Fc) fragment.					
RRID	AB_323010					
Specificity	Goat anti cat IgG (Fc) antibody recognizes feline IgG (Fc) and shows no cross-reactivity with other feline immunoglobulin classes in immunoelectrophoresis.					
References	1. De Craeye, S. <i>et al.</i> (2008) Prevalence of <i>Toxoplasma gondii</i> infection in Belgian house cats. <u>Vet Parasitol. 157:128-32.</u>					
	2. Saari, S. <i>et al.</i> (2008) A nonhealing ulcerative skin lesion associated with <i>Trichinella</i>					
	nativa infection in a cat. J Vet Diagn Invest. 20:839-43.					
	3. Norris, C.R. et al. (2003) Production of polyclonal antisera against feline					
	immunoglobulin E and its use in an ELISA in cats with experimentally induced asthma. Vet					
	Immunol Immunopathol. 96: 149-57.					
	4. Jiménez, A. <i>et al.</i> (2008) Membranous glomerulonephritis in the Iberian lynx (<i>Lynx</i>					
	pardinus). <u>Vet Immunol Immunopathol. 121: 34-43.</u>					
	5. Tochikura, T.S. <i>et al.</i> (2010) Differential CXCR4 expression and function in					
	subpopulations of the feline lymphoma cell line 3201 susceptible to feline					
	immunodeficiency virus. <u>J Feline Med Surg. 12: 269-77.</u> 6. Persichetti, M.F. <i>et al.</i> (2017) Diagnostic performance of ELISA, IFAT and Western blot					
	for the detection of anti- <i>Leishmania infantum</i> antibodies in cats using a Bayesian analysis					
	without a gold standard. <u>Parasit Vectors. 10 (1): 119.</u>					
	7. Alvarez-Guerrero C <i>et al.</i> (2014) Pathological and parasitological traits in experimentally					
	infected cats with <i>Gnathostoma binucleatum</i> (Spirurida: Gnathostomatidae). <u>Vet Parasitol.</u> 204 (3-4): 279-84.					
	8. Pereira, A. <i>et al.</i> (2019) Antibody response to <i>Phlebotomus perniciosus</i> saliva in cats					
	naturally exposed to phlebotomine sand flies is positively associated with <i>Leishmania</i> infection. Parasit Vectors. 12 (1): 128.					
	9. Cherif, A.M. <i>et al.</i> (2022) A cross- sectional study of Leishmania infantum infection in					
	stray cats in Algiers' suburbs, Algeria, and evaluation of serological and molecular tests for its diagnosis <u>Veterinaria 71 (1): 73-83.</u>					
Storage	Store at +4°C. DO NOT FREEZE.					
	This product should be stored undiluted. This product is photosensitive and should be					
	protected from light. Should this product contain a precipitate we recommend					
	microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Health And Safety	Material Safety Datasheet documentation #10041 available at:					

Informati	on <u>https://v</u> 10041				
Regulato	ry For rese	earch purpose			
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50
To find a b	Email: antibody_sales_us@bi		Email: antibody_sales_uk@bio		Email: antibody_sales_de@bio-rad.com
			'M363619:200528'		
			Printed on 12 Apr 2024		

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint