

# Datasheet: AAI26P BATCH NUMBER 149312

Description:	GOAT ANTI CAT IgG (Fc):HRP
Specificity:	IgG (Fc)
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA				1/10,000
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

Target Species	Cat	
Species Cross Reactivity	Reacts with: Iberian Lynx, Rabbit <b>N.B.</b> Antibody reactivity and working conditions may vary betwee reactivity is derived from testing within our laboratories, peer-repersonal communications from the originators. Please refer to refurther information.	viewed publications or
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liqu	iid
Antiserum Preparation	n Antisera to feline IgG were raised by repeated immunisation of antigen. Purified IgG prepared by affinity chromatography.	goat with highly purified
Buffer Solution	Phosphate buffered saline	
Preservative	0.05% Proclin™ 300	

Stabilisers	0.2% Bovine Serum Albumin
Approx. Protein Concentrations	lgG concentration 1.0 mg/ml
Immunogen	Purified feline IgG (Fc) fragment.
RRID	AB_323009
Specificity	Goat anti cat IgG (Fc) antibody recognizes feline IgG (Fc) and shows no cross-reactivity with other feline immunoglobulin classes in immunoelectrophoresis.
References	<ol> <li>De Craeye, S. et al. (2008) Prevalence of <i>Toxoplasma gondii</i> infection in Belgian house cats. Vet Parasitol. 157:128-32.</li> <li>Saari, S. et al. (2008) A nonhealing ulcerative skin lesion associated with <i>Trichinella nativa</i> infection in a cat. J Vet Diagn Invest. 20:839-43.</li> <li>Norris, C.R. et al. (2003) Production of polyclonal antisera against feline immunoglobulin E and its use in an ELISA in cats with experimentally induced asthma. Vet Immunol Immunopathol. 96: 149-57.</li> <li>Jiménez, A. et al. (2008) Membranous glomerulonephritis in the Iberian lynx (<i>Lynx pardinus</i>). Vet Immunol Immunopathol. 121: 34-43.</li> <li>Tochikura, T.S. et al. (2010) Differential CXCR4 expression and function in subpopulations of the feline lymphoma cell line 3201 susceptible to feline immunodeficiency virus. J Feline Med Surg. 12: 269-77.</li> <li>Persichetti, M.F. et al. (2017) Diagnostic performance of ELISA, IFAT and Western blot for the detection of anti-<i>Leishmania infantum</i> antibodies in cats using a Bayesian analysis without a gold standard. Parasit Vectors. 10 (1): 119.</li> <li>Alvarez-Guerrero C et al. (2014) Pathological and parasitological traits in experimentally infected cats with <i>Gnathostoma binucleatum</i> (Spirurida: Gnathostomatidae). Vet Parasitol. 204 (3-4): 279-84.</li> <li>Pereira, A. et al. (2019) Antibody response to <i>Phlebotomus perniciosus</i> saliva in cats naturally exposed to phlebotomine sand flies is positively associated with <i>Leishmania</i> infection. Parasit Vectors. 12 (1): 128.</li> <li>Cherif, A.M. et al. (2022) A cross- sectional study of Leishmania infantum infection in stray cats in Algiers' suburbs, Algeria, and evaluation of serological and molecular tests for its diagnosis Veterinaria 71 (1): 73-83.</li> </ol>
Storage	Store at +4°C. DO NOT FREEZE.  This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	Proclin™ 300 is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.
Health And Safety Information	Material Safety Datasheet documentation #20391 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AAI26P">https://www.bio-rad-antibodies.com/SDS/AAI26P</a>

Regulatory |

For research purposes only

# **Related Products**

## **Recommended Useful Reagents**

AbGUARD® HRP STABILIZER PLUS (BUF052A)

AbGUARD® HRP STABILIZER PLUS (BUF052B)

AbGUARD® HRP STABILIZER PLUS (BUF052C)

TMB CORE (BUF056A)

TMB CORE+ (BUF062A)

TMB SIGNAL+ (BUF054A)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

I: +1 800 265 7376 **Worldwide** 

Fax: +44 (0)1865 852 739

Tel: +44 (0)1865 852 700

Europe Tel

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363620:200528'

#### Printed on 12 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint