

Datasheet: AAI26P BATCH NUMBER 155421

Description:	GOAT ANTI CAT IgG (Fc):HRP
Specificity:	lgG (Fc)
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications	This product has been re derived from testing with communications from the information. For general rad-antibodies.com/proto	in our labo originato protocol re	oratories, j rs. Please	peer-reviewed publicate refer to references in	tions or personal dicated for further
		Yes	No	Not Determined	Suggested Dilution
	Immunohistology - Frozen			•	
	Immunohistology - Paraffin			•	
	ELISA	-			1/10,000
	Western Blotting			•	
	Where this antibody has necessarily exclude its us a guide only. It is recomm system using the approp	se in such nended th	procedur at the use	es. Suggested working r titrates the antibody	g dilutions are given as
Target Species	Cat				
Species Cross Reactivity	Reacts with: Iberian Lynx N.B. Antibody reactivity a reactivity is derived from personal communications further information.	and workir testing wi	thin our la	boratories, peer-revie	wed publications or
Product Form	Purified IgG conjugated t	o Horsera	idish Pero	xidase (HRP) - liquid	
Antiserum Preparatio	n Antisera to feline IgG we antigen. Purified IgG pre		• •	-	at with highly purified
Buffer Solution	Phosphate buffered salin	е			
Preservative	0.05% Proclin™ 300				

Stabilisers	0.2% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Purified feline IgG (Fc) fragment.
RRID	AB_323009
Specificity	Goat anti cat IgG (Fc) antibody recognizes feline IgG (Fc) and shows no cross-reactivity with other feline immunoglobulin classes in immunoelectrophoresis.
References	 De Craeye, S. <i>et al.</i> (2008) Prevalence of <i>Toxoplasma gondii</i> infection in Belgian house cats. <u>Vet Parasitol. 157:128-32</u>. Saari, S. <i>et al.</i> (2008) A nonhealing ulcerative skin lesion associated with <i>Trichinella nativa</i> infection in a cat. <u>J Vet Diagn Invest. 20:839-43</u>. Norris, C.R. <i>et al.</i> (2003) Production of polyclonal antisera against feline immunoglobulin E and its use in an ELISA in cats with experimentally induced asthma. <u>Vet Immunol Immunopathol. 96: 149-57</u>. Jiménez, A. <i>et al.</i> (2008) Membranous glomerulonephritis in the Iberian lynx (<i>Lynx pardinus</i>). <u>Vet Immunol Immunopathol. 121: 34-43</u>. Tochikura, T.S. <i>et al.</i> (2010) Differential CXCR4 expression and function in subpopulations of the feline lymphoma cell line 3201 susceptible to feline immunodeficiency virus. <u>J Feline Med Surg. 12: 269-77</u>. Persichetti, M.F. <i>et al.</i> (2017) Diagnostic performance of ELISA, IFAT and Western blot for the detection of anti-<i>Leishmania infantum</i> antibodies in cats using a Bayesian analysis without a gold standard. <u>Parasit Vectors. 10 (1): 119</u>. Alvarez-Guerrero C <i>et al.</i> (2014) Pathological and parasitological traits in experimentally infected cats with <i>Gnathostoma binucleatum</i> (Spirurida: Gnathostomatidae). <u>Vet Parasitol.</u> 204 (3-4): 279-84. Pereira, A. <i>et al.</i> (2022) A cross- sectional study of Leishmania infantum infection in stray cats in Algiers' suburbs, Algeria, and evaluation of serological and molecular tests for its diagnosis <u>Veterinaria 71 (1): 73-83</u>.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	Proclin™ 300 is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.
Health And Safety Information	Material Safety Datasheet documentation #20391 available at: https://www.bio-rad-antibodies.com/SDS/AAI26P

	20391				
Regulato	ry For res	earch purposes			
Relate	d Products				
Recomm	nended Useful Rea	agents			
AbGUARE	® HRP STABILIZER P	LUS (BUF052A)			
AbGUARE	® HRP STABILIZER P	LUS (BUF052B)			
AbGUARE	® HRP STABILIZER P	LUS (BUF052C)			
	E (BUF056A)				
TMB COR	E+ (BUF062A)				
TMB SIGN	IAL+ (BUF054A)				
orth & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
nerica		pio-rad.com	Email: antibody sales uk@bio	-rad com	Email: antibody sales de@bio-rad.cor

Printed on 12 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint