

Datasheet: AAI27

BATCH NUMBER 160126

| Description: | GOAT ANTI CHICKEN IgM |
|---------------|-----------------------|
| Specificity: | IgM |
| Format: | Purified |
| Product Type: | Polyclonal Antibody |
| Isotype: | Polyclonal IgG |
| Quantity: | 1 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| Yes | No | Not Determined | Suggested Dilution |
|-----|----|----------------|--------------------|
| | | • | |
| - | | | 1/200 - 1/2000 |
| | | | |
| - | | | 1/100 - 1/1000 |
| | | • | |
| - | | | 1/1000 - 1/30,000 |
| - | | | |
| - | | | 1/200 - 1/2000 |
| | | • | • |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

| Target Species | Chicken | |
|-----------------------------|---|--------------------------------|
| Product Form | Purified IgG - liquid | |
| Antiserum Preparation | Antisera to chicken IgM were raised by repeated immunisation antigen. Purified IgG prepared by affinity chromatography. | n of goat with highly purified |
| Buffer Solution | Phosphate buffered saline | |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) | |

| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml Purified chicken IgM. | | | |
|----------------------------------|--|--|--|--|
| Immunogen | | | | |
| External Database Links | UniProt: P01875 Related reagents | | | |
| RRID | AB_2076334 | | | |
| Specificity | Goat anti Chicken IgM antibody recognizes chicken immunoglobulin M and shows no cross reactivity with other chicken immunoglobulin classes in immunoelectrophoresis. | | | |
| | Goat anti chicken IgM antibody may cross react with IgM from other species. | | | |
| References | Withanage, G.S. et al. (2001) Cytokine and chemokine responses associated with clearance of a primary Salmonella enterica serovar Typhimurium infection in the chicken and in protective immunity to rechallenge. Infect Immun.73: 5173-82. Beal, R.K. et al. (2005) A strong antigen-specific T-cell response is associated with age and genetically dependent resistance to avian enteric salmonellosis. Infect Immun. 73 (11): 7509-16. Rautenschlein, S. et al. (2011) Local and systemic immune responses following infection of broiler-type chickens with avian Metapneumovirus subtypes A and B. Vet Immunol Immunopathol. 140(1-2):10-22. Toscano, M.J. et al. (2010) Sub-clinical infection with Salmonella in chickens differentially affects behaviour and welfare in three inbred strains. Br Poult Sci. 51: 703-13. Radomska, K.A. et al. (2016) Chicken Immune Response after In Ovo Immunization with Chimeric TLR5 Activating Flagellin of Campylobacter jejuni. PLoS One. 11 (10): e0164837. Dziewulska, D. et al. (2018) The impact of Aloe vera and licorice extracts on selected mechanisms of humoral and cell-mediated immunity in pigeons experimentally infected with PPMV-1. BMC Vet Res. 14 (1): 148. Konieczka, P. et al. (2022) Increased arginine, lysine, and methionine levels can improve the performance, gut integrity and immune status of turkeys but the effect is interactive and depends on challenge conditions. Vet Res. 53 (1): 59. | | | |
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use. | | | |
| Guarantee | 12 months from date of despatch | | | |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AAI27 10040 | | | |
| Regulatory | For research purposes only | | | |

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\label{lem:lemail:antibody_sales_uk@bio-rad.com} \\ Email: antibody_sales_uk@bio-rad.com \\ Email: antibody_sales_uk@bio-rad.com \\ \\ Email: antibody_sales_de@bio-rad.com \\ \\ \\ Email: antibody_s$

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363621:200528'

Printed on 12 Sep 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint