

## Datasheet: AAI27P

<b>Description:</b>	GOAT ANTI CHICKEN IgM:HRP
<b>Specificity:</b>	IgM
<b>Format:</b>	HRP
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	▪			1/200 - 1/2000
Immunohistology - Paraffin			▪	
ELISA	▪			1/10,000 - 1/100,000
Western Blotting	▪			1/2000 - 1/20,000
Immunocytochemistry	▪			1/200 - 1/2000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Chicken
<b>Product Form</b>	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid
<b>Antiserum Preparation</b>	Antisera to chicken IgM were raised by repeated immunisation of goat with highly purified antigen. Purified IgG prepared by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline.
<b>Preservative</b>	0.05% ProClin 300
<b>Stabilisers</b>	0.2% Bovine Serum Albumin
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml.
<b>Immunogen</b>	Purified chicken IgM.

**External Database  
Links**

**UniProt:**

[P01875](#)

[Related reagents](#)

---

**RRID**

AB\_2275902

---

**Specificity**

**Goat anti Chicken IgM antibody** recognizes chicken immunoglobulin M and shows no cross reactivity with other chicken immunoglobulin classes in immunoelectrophoresis.

Goat anti chicken IgM antibody may cross react with IgM from other species.

---

**References**

1. Withanage, G.S. *et al.* (2001) Cytokine and chemokine responses associated with clearance of a primary *Salmonella enterica* serovar *Typhimurium* infection in the chicken and in protective immunity to rechallenge. [Infect Immun.73: 5173-82.](#)
2. Beal, R.K. *et al.* (2005) A strong antigen-specific T-cell response is associated with age and genetically dependent resistance to avian enteric salmonellosis. [Infect Immun. 73 \(11\): 7509-16.](#)
3. Toscano, M.J. *et al.* (2010) Sub-clinical infection with *Salmonella* in chickens differentially affects behaviour and welfare in three inbred strains. [Br Poult Sci. 51: 703-13.](#)
4. Rautenschlein, S. *et al.* (2011) Local and systemic immune responses following infection of broiler-type chickens with avian Metapneumovirus subtypes A and B. [Vet Immunol Immunopathol. 140\(1-2\):10-22.](#)
5. Radomska, K.A. *et al.* (2016) Chicken Immune Response after *In Ovo* Immunization with Chimeric TLR5 Activating Flagellin of *Campylobacter jejuni*. [PLoS One. 11 \(10\): e0164837.](#)
6. Dziewulska, D. *et al.* (2018) The impact of Aloe vera and licorice extracts on selected mechanisms of humoral and cell-mediated immunity in pigeons experimentally infected with PPMV-1. [BMC Vet Res. 14 \(1\): 148.](#)
7. Konieczka, P. *et al.* (2022) Increased arginine, lysine, and methionine levels can improve the performance, gut integrity and immune status of turkeys but the effect is interactive and depends on challenge conditions. [Vet Res. 53 \(1\): 59.](#)

---

**Storage**

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee**

12 months from date of despatch.

---

**Acknowledgements**

ProClin is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.

---

**Health And Safety  
Information**

Material Safety Datasheet documentation #20391 available at:  
<https://www.bio-rad-antibodies.com/SDS/AAI27P>  
20391

---

**Regulatory**

For research purposes only.

---

## Related Products

## Recommended Useful Reagents

[AbGUARD® HRP STABILIZER PLUS \(BUF052A\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052B\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052C\)](#)

[TMB CORE \(BUF056A\)](#)

[TMB CORE+ \(BUF062A\)](#)

[TMB SIGNAL+ \(BUF054A\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M432692:240912'

**Printed on 12 Sep 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)