Datasheet: AAI31P BATCH NUMBER 155422

GOAT ANTI DOG IgA:HRP		
IgA		
HRP		
Polyclonal Antibody		
Polyclonal IgG		
1 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	Immunohistology - Frozen	•			1/200 - 1/500	
	Immunohistology - Paraffin					
	ELISA	•			1/10,000 - 1/80,000	
	Western Blotting			•		
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.					
Target Species	Dog					
Species Cross Reactivity	Reacts with: Ferret, Wolf Based on sequence similarity, is expected to react with:Mustelid N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG conjugated t	o Horsera	adish Perc	oxidase (HRP) - liquid		
Antiserum Preparatio	on Antisera to canine IgA we antigen. Purified IgG pre		• •	•	oat with highly purified	
Buffer Solution	Phosphate buffered salin	е				

Preservative Stabilisers	0.05% Proclin™ 300 0.2% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Purified canine IgA.
RRID	AB_323057
Specificity	Goat anti Dog IgA polyclonal antibody recognizes canine IgA and shows no cross reactivity with other canine immunoglobulin classes in immunoelectrophoresis or ELISA.
	Goat anti Dog IgA may cross react with IgA from other species. Goat anti Dog IgA polyclonal antibody has been shown to cross react with IgA from other canids (<u>Frankowiack <i>et al.</i> 2013</u>) and with mustelids (<u>Martel <i>et al.</i> 2009</u>).
References	 Benyacoub, J. <i>et al.</i> (2003) Supplementation of food with <i>Enterococcus faecium</i> (SF68) stimulates immune functions in young dogs. <u>J Nutr. 133 (4): 1158-62.</u> Peters, I.R. <i>et al.</i> (2004) Measurement of immunoglobulin concentrations in the feces of healthy dogs. <u>Clin Diagn Lab Immunol. 11 (5): 841-8.</u> Martel, C.J. & Aasted, B. (2009) Characterization of antibodies against ferret immunoglobulins, cytokines and CD markers. <u>Vet Immunol Immunopathol. 132:109-15.</u> Simpson, K.W. <i>et al.</i> (2009) Influence of <i>Enterococcus faecium</i> SF68 probiotic on giardiasis in dogs. <u>J Vet Intern Med. 23: 476-81.</u> Huang, S.S. <i>et al.</i> (2012) Differential Pathological and Immune Responses in Newly Weaned Ferrets Are Associated with a Mild Clinical Outcome of Pandemic 2009 H1N1 Infection. <u>J Virol. 86: 13187-201.</u> Frankowiack, M. <i>et al.</i> (2013) IgA deficiency in wolves. <u>Dev Comp Immunol. 40 (2): 180-4.</u> Olsson M <i>et al.</i> (2014) The dog as a genetic model for immunoglobulin A (IgA) deficiency: identification of several breeds with low serum IgA concentrations. <u>Vet Immunol Immunopathol. 160 (3-4): 255-9.</u> Frankowiack, M. <i>et al.</i> (2015) IgA deficiency in wolves from Canada and Scandinavia. <u>Dev Comp Immunol. 50 (1): 26-8.</u> Lee, A. <i>et al.</i> (2015) Lack of correlation between mucosal immunoglobulin A-positive plasma cell numbers and TLR5 genotypes in German shepherd dogs reveals association of a locus on CFA 27 with atopic dermatitis. <u>PLoS Genet. 9 (5): e1003475.</u> Tengvall, K. <i>et al.</i> (2013) Iganome-wide analysis in German shepherd dogs reveals association of a locus on CFA 27 with atopic dermatitis. <u>PLoS Genet. 9 (5): e1003475.</u> Martínez-López, L.M. <i>et al.</i> (2021) Hierarchical modelling of immunoglobulin coated bacteria in dogs with chronic enteropathy shows reduction in coating with disease remission but marked inter-individual and treatment-response variability. <u>PLoS One. 16 (8): e025</u>

	Immune Function. <u>Front Vet Sci. 7: 613.</u> 14. Satyaraj, E. <i>et al.</i> (2021) Supplementation of Diets With <i>Sp</i> and Gut Function in Dogs. <u>Front Nutr. 8: 667072.</u>	<i>pirulina</i> Influences Immune
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product c recommend microcentrifugation before use.	contain a precipitate we
Guarantee	12 months from date of despatch	
Acknowledgements	Proclin™ 300 is a trademark of The Dow Chemical Company company of Dow.	("Dow") or an affiliated
Health And Safety Information	Material Safety Datasheet documentation #20391 available at <u>https://www.bio-rad-antibodies.com/SDS/AAI31P</u> 20391	:
Regulatory	For research purposes only	

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363639:200528'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint