

Datasheet: AAI38P BATCH NUMBER 160902

Description:	GOAT ANTI HORSE IgG (T):HRP			
Specificity:	lgG (T)			
Format:	HRP			
Product Type:	Polyclonal Antibody			
Isotype:	Polyclonal IgG			
Quantity:	1 mg			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols. Yes No Not Determined Suggested Dilution							
	Immunohistology - Frozen			•				
	Immunohistology - Paraffin			•				
	ELISA	-			1/10,000 - 1/100,000			
	Western Blotting			•				
	, and the second s	not been	tested for	use in a particular tec	hnique this does not			
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as							
	a guide only. It is recommended that the user titrates the antibody for use in their own							
	system using the appropri			•				
	eyetem deing the appropr	nato noga	avo,poola					
Target Species	Horse							
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid							
Antiserum Preparatio	n Antisera to equine IgG (T purified antigen. Purified				• • •			
Buffer Solution	Phosphate buffered salin	e						
Preservative	0.05% Proclin™ 300							
Stabilisers	0.2% Bovine Serum Albumin							
Approx. Protein Concentrations	IgG concentration 1.0 mg	g/ml						
Immunogen	Purified equine IgG (T).							

RRID	AB_323021					
Specificity	Goat anti Horse IgG (T) antibody recognizes equine IgG (T). No cross-reactivity with other equine immunoglobulin classes is seen in immuno-electrophoresis.					
	Goat anti Horse IgG (T) antibody may cross react with IgG from other species.					
References	 Hooper-McGrevy, K.E. <i>et al.</i> (2003) Immunoglobulin G subisotype responses of pneumonic and healthy, exposed foals and adult horses to <i>Rhodococcus equi</i> virulence- associated proteins. <u>Clin Diagn Lab Immunol. 10 (3): 345-51.</u> Jacks, S. <i>et al.</i> (2007) Experimental infection of neonatal foals with <i>Rhodococcus equi</i> triggers adult-like gamma interferon induction. <u>Clin Vaccine Immunol. 14: 669-77.</u> Lewis, M.J. <i>et al.</i> (2007) The different effector function capabilities of the seven equine IgG subclasses have implications for vaccine strategies. <u>Mol Immunol. 45: 818-27.</u> Ryan, C. & Giguère, S. (2010) Equine neonates have attenuated humoral and cell-mediated immune responses to a killed adjuvanted vaccine compared to adult horses. <u>Clin Vaccine Immunol. 17 (12): 1896-902.</u> Cauchard S <i>et al.</i> (2014) Assessment of the safety and immunogenicity of <i>Rhodococcus equi</i>-secreted proteins combined with either a liquid nanoparticle (IMS 3012) or a polymeric (PET GEL A) water-based adjuvant in adult horses and foals identification of promising new candidate antigens. <u>Vet Immunol Immunopathol. 157 (3-4):</u> 164-74. Meulenbroeks C <i>et al.</i> (2015) Allergen-Specific Cytokine Polarization Protects Shetland Ponies against <i>Culicoides obsoletus</i>-Induced Insect Bite Hypersensitivity. <u>PLoS One. 10</u> (4): e0122090. Cauchard, S. <i>et al.</i> (2014) Assessment of the safety and immunogenicity of <i>Rhodococcus equi</i>-secreted proteins combined with either a liquid nanoparticle (IMS 3012) or a polymeric (PET GEL A) water-based adjuvant in adult horses and foals identification of promising new candidate antigens. <u>Vet Immunol Immunopathol. 157 (3-4):</u> 164-74. Burk, S.V. <i>et al.</i> (2016) Equine antibody response to larval <i>Parascaris equorum</i> excretory-secretory products. <u>Vet Parasitol. 226: 83-7.</u> Lightbody, K.L. <i>et al.</i> (2016) Validation of a novel saliva-based ELISA test for diagnosing tapeworm burden in horses. <u>Vet </u>					
Storage	Store at +4 ^o C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Acknowledgements	Proclin™ 300 is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.					
Health And Safety Information	Material Safety Datasheet documentation #20391 available at: https://www.bio-rad-antibodies.com/SDS/AAI38P 20391					

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363648:200528'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint