

Datasheet: AAI42P BATCH NUMBER 148561

Description:	GOAT ANTI MONKEY IgG (H/L):HRP
Specificity:	IgG (H/L)
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin			•		
	ELISA				1/10,000 - 1/100,000	
	Western Blotting			•	,,,	
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.					
Target Species	Monkey					
Species Cross Reactivity	Reacts with: Human, African green monkey, Cynomolgus monkey, Baboon, Chimpanzee, Rhesus Monkey N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG conjugated t	o Horsera	adish Pero	xidase (HRP) - liquid		
Antiserum Preparatio	on Antisera to monkey IgG v antigen. Purified IgG pre				goat with highly purified	
Buffer Solution	Phosphate buffered salin	e				

Preservative	0.05% Proclin™ 300
Stabilisers	0.2% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Purified monkey IgG.
RRID	AB_322527
Specificity	Goat anti Monkey IgG (H/L) antibody recognizes monkey IgG (heavy and light chains). Goat anti Monkey IgG (H/L) antibody has been shown to react specifically with monkey IgG heavy chains and with light chains common to other monkey immunoglobulins by immunoelectrophoresis and ELISA. Reaction to human was also detected. Goat anti Monkey IgG (H/L) antibody may cross react with IgG from other species.
References	1. Mayer, A.E. <i>et al.</i> (2014) The neutralizing capacity of antibodies elicited by
	parainfluenza virus infection of African Green Monkeys is dependent on complement.
	Virology. 460-461: 23-33.
	2. Lemere, C.A. et al. (2004) Alzheimer's disease abeta vaccine reduces central nervous
	system abeta levels in a non-human primate, the Caribbean vervet. <u>Am J Pathol. 165:</u> 283-97.
	3. Angin, M. <i>et al.</i> (2012) Gene transfer of human CD40lg does not prevent rejection in a
	non-human primate kidney allotransplantation model. <u>Transpl Immunol. 27: 139-45.</u>
	4. Goodrich, R.P. et al. (2009) Evaluation of potential immune response and in vivo
	survival of riboflavin-ultraviolet light-treated red blood cells in baboons. <u>Transfusion. 49:</u>
	$\frac{64-74}{10}$
	5. Cranage, M.P. <i>et al.</i> (2011) Antibody responses after intravaginal immunisation with trimeric HIV-1 _{CN54} clade C gp140 in Carbopol gel are augmented by systemic priming or
	boosting with an adjuvanted formulation. Vaccine. 29: 1421-30.
	6. Tillou, X. <i>et al.</i> (2010) Recombinant human C1-inhibitor prevents acute antibody-
	mediated rejection in alloimmunized baboons. <u>Kidney Int. 78: 152-9.</u>
	7. Turbant, S. <i>et al.</i> (2009) Cynomolgus macaques immunized with two HIV-1 Tat
	stabilized proteins raise strong and long-lasting immune responses with a pattern of
	Th1/Th2 response differing from that in mice. Vaccine. 27: 5349-56.
	8. Warfel, J.M. et al. (2014) Maternal and neonatal vaccination protects newborn baboons
	from pertussis infection. <u>J Infect Dis. 210 (4): 604-10.</u>
	9. Dereuddre-Bosquet, N. <i>et al.</i> (2015) HIV specific responses induced in nonhuman
	primates with ANRS HIV-Lipo-5 vaccine combined with rMVA-HIV prime or boost immunizations. Vaccine. 33 (20): 2354-9.
	10. Pejoski, D. <i>et al.</i> (2016) Identification of Vaccine-Altered Circulating B Cell Phenotypes
	Using Mass Cytometry and a Two-Step Clustering Analysis. <u>J Immunol. 196 (11):</u> 4814-31.
	11. Berry, N. <i>et al.</i> (2016) Role of Occult and Post-acute Phase Replication in Protective
	Immunity Induced with a Novel Live Attenuated SIV Vaccine. PLoS Pathog. 12 (12):
	<u>e1006083.</u>
	12. Aron Badin, R. et al. (2016) Cell Therapy for Parkinson's Disease: A Translational

	 Approach to Assess the Role of Local and Systemic Immunosuppression. <u>Am J</u> <u>Transplant. 16 (7): 2016-29.</u> 13. Herrera, C. <i>et al.</i> (2022) <i>Ex Vivo.</i> Evaluation of Mucosal Responses to Vaccination with ALVAC and AIDSVAX of Non-Human Primates <u>Vaccines. 10 (2): 187.</u>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	Proclin™ 300 is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.
Health And Safety Information	Material Safety Datasheet documentation #20391 available at: https://www.bio-rad-antibodies.com/SDS/AAI42P 20391
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363662:200528'

Printed on 13 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint