

Datasheet: AAI49

BATCH NUMBER 167925

Description:	SHEEP ANTI BOVINE IgA
Specificity:	IgA
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen	•			1/200 - 1/2000
Immunohistology - Paraffin				
ELISA (1)	•			1/1000 - 1/30,000
Immunoprecipitation			•	
Western Blotting				1/1000 - 1/30,000
Immunocytochemistry	•			1/200 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)For coating plates it is recommended that a dilution of 1/100 - 1/500 be used

Target Species	Bovine	
Product Form Purified IgG - liquid		
Antiserum Preparation	Antisera to bovine IgA were raised by repeated immunisation of antigen. Purified IgG prepared by affinity chromatography.	of sheep with highly purified
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Purified bovine IgA
Specificity	Sheep anti Bovine IgA antibody recognizes bovine IgA and shows no cross reactivity with other bovine immunoglobulin classes in immunoelectrophoresis. This antibody may recognize IgA from other species, though this has not been verified.
	IgA is the predominant surface secreted immunoglobulin from the intestinal, urogenital and respiratory tracts. IgA functions in a protective capacity, primarily, by preventing viruses and bacteria from adhearing to epithelial tissues. High concentrations of IgA are found in saliva, colostrum, milk, tear duct fluid, urine and nasal fluid.
	In addition to this polyclonal antibody, we have a monoclonal Mouse anti Bovine IgA , clone IL-A71 antibody (MCA2438GA) available which is specific for bovine IgA, also available in a peroxidase conjugated format.
References	 Calvo-Lorenzo, M.S. <i>et al.</i> (2016) Wooden hutch space allowance influences male Holstein calf health, performance, daily lying time, and respiratory immunity. <u>J Dairy Sci. 99 (6): 4678-92.</u> González-Hernández A <i>et al.</i> (2016) Host protective ASP-based vaccine against the parasitic nematode <i>Ostertagia ostertagi</i> triggers NK cell activation and mixed IgG1-IgG2 response. <u>Sci Rep. 6: 29496.</u> Springer, A. <i>et al.</i> (2022) Immunization Trials with Recombinant Major Sperm Protein of
	the Bovine Lungworm <i>Dictyocaulus viviparus</i> <u>Pathogens 11, 55.</u>
Further Reading	1. Morton, H.C. <i>et al.</i> (2004) Cloning and characterization of an immunoglobulin A Fc receptor from cattle. <u>Immunology. 111 (2): 204-11.</u>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AAI49 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Sheep IgG (H/L) (5184-2304...) Biotin

North & South Tel: +1 800 265 7376

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint