Datasheet: AAI49P BATCH NUMBER 160901

Description:	SHEEP ANTI BOVINE IgA:HRP		
Specificity:	IgA		
Format:	HRP		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	1 mg		

Product Details

Applications	This product has been re derived from testing with communications from the information. For general rad-antibodies.com/proto	in our labo originator protocol re cols.	ratories, p s. Please commenc	eer-reviewed publica refer to references ir lations, please visit <u>w</u>	tions or personal ndicated for further <u>ww.bio-</u>
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	•		•	1/200 1/2000
	Immunohistology - Frozen				1/200 - 1/2000
	Immunohistology - Paraffin ELISA	•		-	1/10,000 - 1/100,000
	Immunoprecipitation			-	1/10,000 - 1/100,000
	Western Blotting	•		_	1/2000 - 1/20,000
	Immunocytochemistry	•			1/200 - 1/2000
	Where this antibody has	not been t	ested for i	ise in a narticular teo	
Target Species	necessarily exclude its u a guide only. It is recomm system using the approp Bovine	nended that	at the use	titrates the antibody	•
Product Form	Purified IgG conjugated t	o Horsera	dish Perox	kidase (HRP) - liquid	
Antiserum Preparatio	n Antisera to bovine IgA we antigen. Purified IgG pre				heep with highly purified
Buffer Solution	Phosphate buffered salin	е			
Preservative	0.05% Proclin™ 300				
Stabilisers	0.2% Bovine Serum Albu	ımin			
Approx. Protein	IgG concentration 1.0 mg	g/ml			

Concentrations

Immunogen	Purified bovine IgA					
Specificity	Sheep anti Bovine IgA antibody recognizes bovine IgA and shows no cross reactivity with other bovine immunoglobulin classes in immunoelectrophoresis. This antibody may recognize IgA from other species, though this has not been verified.					
	IgA is the predominant surface secreted immunoglobulin from the intestinal, urogenita and respiratory tracts. IgA functions in a protective capacity, primarily, by preventing viruses and bacteria from adhearing to epithelial tissues. High concentrations of IgA a found in saliva, colostrum, milk, tear duct fluid, urine and nasal fluid.					
	In addition to this polyclonal antibody, we have a monoclonal Mouse anti Bovine IgA , clone IL-A71 antibody (<u>MCA2438GA</u>) available which is specific for bovine IgA, also available in a peroxidase conjugated format.					
References	 Calvo-Lorenzo, M.S. <i>et al.</i> (2016) Wooden hutch space allowance influences male Holstein calf health, performance, daily lying time, and respiratory immunity. <u>J Dairy Sci.</u> <u>99 (6): 4678-92.</u> González-Hernández A <i>et al.</i> (2016) Host protective ASP-based vaccine against the parasitic nematode <i>Ostertagia ostertagi</i> triggers NK cell activation and mixed IgG1-IgG2 response. <u>Sci Rep. 6: 29496.</u> Springer, A. <i>et al.</i> (2022) Immunization Trials with Recombinant Major Sperm Protein of the Bovine Lungworm <i>Dictyocaulus viviparus.</i>. <u>Pathogens 11, 55.</u> 					
Further Reading	1. Morton, H.C. <i>et al.</i> (2004) Cloning and characterization of an immunoglobulin A Fc receptor from cattle. Immunology. 111 (2): 204-11.					
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Acknowledgements	Proclin™ 300 is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.					
Health And Safety Information	Material Safety Datasheet documentation #20391 available at: https://www.bio-rad-antibodies.com/SDS/AAI49P 20391					
Regulatory	For research purposes only					
th & South Tel: +1 800 265 erica Fax: +1 919 878 Email: antibody						

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M339404:181219'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint