

## Datasheet: AAM16G

**BATCH NUMBER 170711**

<b>Description:</b>	RABBIT ANTI MOUSE GM-CSF
<b>Specificity:</b>	GM-CSF
<b>Other names:</b>	GRANULOCYTE MACROPHAGE COLONY STIMULATING FACTOR
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			0.5 ug/ml
Immunoprecipitation			▪	
Western Blotting	▪			0.1ug/ml - 0.2ug/ml
Functional Assays	▪			12ng/ml - 20ng/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

<b>Target Species</b>	Mouse
<b>Product Form</b>	Purified IgG - lyophilised
<b>Reconstitution</b>	<p>Reconstitute with 0.1ml distilled water.</p> <p>Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.</p> <p>For long term storage the addition of 0.09% sodium azide is recommended. NB: For functional studies do not add azide.</p>

**Antiserum Preparation** Antisera to mouse GM-CSF were raised by repeated immunisation of rabbits with highly

purified antigen. Purified IgG was prepared by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution.
Immunogen	Recombinant mouse GM-CSF.
External Database Links	<b>UniProt:</b> <a href="#">P01587</a> <a href="#">Related reagents</a>  <b>Entrez Gene:</b> <a href="#">12981</a> Csf2 <a href="#">Related reagents</a>
Synonyms	Csfgm
RRID	AB_323571
Specificity	<b>Rabbit anti Mouse GM-CSF antibody</b> recognizes mouse granulocyte-macrophage colony-stimulating factor (GM-CSF), a haematopoietic growth factor which exists in both glycosylated and non-glycosylated biologically active forms and stimulates the development of granulocytes, macrophages, early megakaryocytes and eosinophil progenitor cells. The ability of recombinant GM-CSF to increase haematopoietic cell recovery has become a focus area in the therapeutic treatment of patients following bone marrow transplantation.
References	1. Ding, C. <i>et al.</i> (2005) Diabetes increases expression of ICAM after a brief period of cerebral ischemia. <a href="#">J Neuroimmunol. 161 (1-2): 61-7.</a> 2. Mirza, B. <i>et al.</i> (2004) Intracerebral cytokine profiles in adult rats grafted with neural tissue of different immunological disparity. <a href="#">Brain Res Bull. 63 (2): 105-18.</a>
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C.  This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AAM16G">https://www.bio-rad-antibodies.com/SDS/AAM16G</a>

**Regulatory**

For research purposes only

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)Sheep Anti Rabbit IgG (STAR35...) [RPE](#)Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

### Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)**North & South** Tel: +1 800 265 7376**America** Fax: +1 919 878 3751Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M372386:200706'

**Printed on 12 Aug 2023**