

# Datasheet: AAM29 BATCH NUMBER 160907

Description:	RABBIT ANTI MOUSE INTERFERON GAMMA
Specificity:	IFN GAMMA
Other names:	INTERFERON GAMMA
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				0.5ug/ml - 2.0ug/ml
Immunoprecipitation				
Western Blotting	•			0.1ug/ml - 0.2ug/ml
Functional Assays				50ng/ml - 100ng/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - lyophilised
Reconstitution	Reconstitute with 0.1ml distilled water
	Care should be taken during reconstitution as the protein may appear as a film at the
	bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
	For long term storage the addition of 0.09% sodium azide is recommended.
	N.B. For functional studies do not add sodium azide

Antiserum Preparation Antisera to mouse interferon gamma were raised by repeated immunisations of rabbits

	chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None Present
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution
Immunogen	Recombinant mouse interferon gamma.
External Database Links	UniProt: P01580 Related reagents
	Entrez Gene:  15978 Ifng Related reagents
RRID	AB_324026
Specificity	Rabbit anti Mouse Interferon gamma antibody recognizes mouse interferon gamma, regulatory cytokine, which is produced by activated natural killer cells and a population T-lymphocytes.
Specificity  ELISA	regulatory cytokine, which is produced by activated natural killer cells and a population
	regulatory cytokine, which is produced by activated natural killer cells and a population T-lymphocytes.
ELISA	regulatory cytokine, which is produced by activated natural killer cells and a population T-lymphocytes.  AAM29 may be used in an indirect ELISA with PMP43A as the standard.
ELISA Western Blotting	regulatory cytokine, which is produced by activated natural killer cells and a population T-lymphocytes.  AAM29 may be used in an indirect ELISA with PMP43A as the standard.  AAM29 may be used in Western blotting with PMP43A as a positive control.  Prior to reconstitution store at -20°C.
ELISA Western Blotting	regulatory cytokine, which is produced by activated natural killer cells and a population T-lymphocytes.  AAM29 may be used in an indirect ELISA with PMP43A as the standard.  AAM29 may be used in Western blotting with PMP43A as a positive control.  Prior to reconstitution store at -20°C.  After reconstitution store at -20°C.  This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody
ELISA Western Blotting Storage	regulatory cytokine, which is produced by activated natural killer cells and a population T-lymphocytes.  AAM29 may be used in an indirect ELISA with PMP43A as the standard.  AAM29 may be used in Western blotting with PMP43A as a positive control.  Prior to reconstitution store at -20°C.  After reconstitution store at -20°C.  This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody Should this product contain a precipitate we recommend microcentrifugation before use

with highly purified antigen. Purified IgG was prepared from whole serum by affinity

## **Related Products**

#### **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

#### **Recommended Positive Controls**

RECOMBINANT MOUSE INTERFERON GAMMA (PMP43A)

#### **Recommended Useful Reagents**

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\textbf{Email: antibody\_sales\_us@bio-rad.com} \\ \textbf{Email: antibody\_sales\_uk@bio-rad.com} \\ \textbf{Email: antibody\_sales\_uk@b$ 

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M372394:200706'

#### Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint