

Datasheet: AAM34 BATCH NUMBER 165279

Specificity:IL-13Format:PurifiedProduct Type:Polyclonal Antibody	
Product Type: Polyclonal Antibody	
Isotype: Polyclonal IgG	
Quantity: 0.1 mg	

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further					
		•				
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry			•		
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin			•		
	ELISA	•			0.5 - 2.0ug/ml	
	Immunoprecipitation					
	Western Blotting	-			0.1 - 0.2ug/ml	
	Where this antibody has	not been	tested for	use in a particular tec	hnique this does not	
Target Species	a guide only. It is recomn system using the approp Mouse				for use in their own	
Product Form	Purified IgG - lyophilized					
Reconstitution	Reconstitute with 0.1ml c Care should be taken du bottom of the vial. Bio-Ra For long term storage the	ring recor ad recomr	nstitution a mend that	the vial is gently mixed	d after reconstitution.	
Antiserum Preparatior Buffer Solution	Antisera to mouse IL-13 purified antigen. Purified	lgG was	• •		•••	
	Phosphate buffered salin	e				

Preservative Stabilisers	None present
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution.
Immunogen	Recombinant mouse IL-13.
External Database Links	UniProt: <u>P20109</u> <u>Related reagents</u> Entrez Gene: <u>16163</u> II13 <u>Related reagents</u>
Synonyms	II-13
RRID	AB_2264676
Specificity	Rabbit anti Mouse Interleukin-13 antibody recognizes mouse Interleukin-13 (IL-13), a12.3kDa immunoregulatory cytokine produced primarily by activated T helper type 2 (Th2)cells and also by mast cells and NK cells.The biological properties of IL-13 include stimulation of B cell proliferation and antibodyproduction. IL-13 plays an important role in the induction of the pathophysiologicalfeatures of allergic asthma, independently of Immunoglobulin E and eosinophils(Wills-Karp et al. 1998).
ELISA	AAM34 may be used in an indirect ELISA or as a capture reagent in a sandwich ELISA with <u>AAM34B</u> as the detection antibody.
References	1. Wills-karp, M. <i>et al.</i> (1998) Interleukin-13: central mediator of allergic asthma. <u>Science.</u> <u>282 (5397): 2258-61.</u>
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C. This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10294 available at: <u>https://www.bio-rad-antibodies.com/SDS/AAM34</u> 10294

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (H/L) (STAR124...)HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRP

Recommended Useful Reagents

RABBIT ANTI MOUSE INTERLEUKIN-13:Biotin (AAM34B) TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide
America	Fax: +1 919 878 3751	
	Email: antibody_sales_us@bio-ra	d.com

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets M399225:220628'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint