Datasheet: AAM36 BATCH NUMBER 170620

Description:	RABBIT ANTI MOUSE INTERLEUKIN-4			
Specificity:	IL-4			
Format:	Purified			
Product Type:	Polyclonal Antibody			
Isotype:	Polyclonal IgG			
Quantity:	0.1 mg			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry			-	
	Immunohistology - Frozen			•	
	Immunohistology - Paraffin			•	
	ELISA	•			0.5ug/ml
	Immunoprecipitation			•	
	Western Blotting	•			0.1ug/ml - 0.2ug/ml
	Functional Assays				0.25ug/ml - 0.40ug/ml
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.				
Target Species	Mouse				
Product Form	Purified IgG - lyophilised				
Reconstitution	Reconstitute with 0.1ml distilled water. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. For long term storage the addition of 0.09% sodium azide is recommendedNB: For functional studies do not add azide.				

Antiserum Preparation Antisera to mouse IL-4 were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG was prepared by affinity chromatography.

Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	None present				
Carrier Free	Yes				
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution.				
Immunogen	Recombinant mouse IL-4				
External Database Links	UniProt: <u>P07750</u> <u>Related reagents</u> Entrez Gene:				
	<u>16189</u> II4 <u>Related reagents</u>				
Synonyms	II-4				
RRID	AB_324526				
Specificity	 Rabbit anti Mouse Interleukin-4 antibody recognizes mouse interleukin-4 (IL-4), also known as B-cell stimulatory factor 1, a 120 amino acid pleiotropic cytokine cleaved from a 140 amino acid precursor which interacts with multiple cell lineages, including T cells, fibroblasts and macrophages (Crawford <i>et al.</i> 1987). Interleukin-4 is one of the most important factors involved in B cell IgG1 and IgE class switching (Winter <i>et al.</i> 1987). IL-4 acts as a regulator of low affinity Fc receptor for IgE (CD23) expression on both lymphocytes and monocytes (Miyajima <i>et al.</i> 1991, Hudak <i>et al.</i> 1987). IL-4 acts through binding to it's cognate receptor CD124, a receptor which also binds the related cytokine IL-13. 				
	Interleukin -4 plays an important role in the alternative activation of murine macrophages as indicated by the ability to potently up-regulate the expression and activity of <u>CD206</u> , the macrophage mannose receptor (<u>Stein <i>et al.</i> 1992).</u>				
ELISA	AAM36 may be used in an indirect ELISA with <u>PMP81</u> as the standard.				
References	 de Barros, V.E.D. <i>et al.</i> (2011) An Experimental Model of Meningoencephalomyelitis by Rocio Flavivirus in Balb/C Mice: Inflammatory Response, Cytokine Production, and Histopathology <u>Am J Trop Med Hyg. 85: 363-73.</u> Kim, S.R. <i>et al.</i> (2013) Endoplasmic reticulum stress influences bronchial asthma pathogenesis by modulating nuclear factor κB activation. <u>J Allergy Clin Immunol. pii:</u> <u>S0091-6749(13)01382-1.</u> 				
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C.				

	This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	6 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/AAM36 10162			
Regulatory	For research purposes only			

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR124...) <u>HRP</u> Sheep Anti Rabbit IgG (STAR35...) <u>RPE</u> Goat Anti Rabbit IgG (Fc) (STAR121...) <u>Biotin</u>, <u>FITC</u>, <u>HRP</u>

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT: HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M372404:200706'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint