

## Datasheet: AAM40B

<b>Description:</b>	RABBIT ANTI MOUSE CXCL1:Biotin
<b>Specificity:</b>	CXCL1
<b>Other names:</b>	GRO1
<b>Format:</b>	Biotin
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	50 µg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			0.15ug/ml - 0.30ug/ml
Western Blotting	▪			0.1ug/ml - 0.2ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

<b>Target Species</b>	Mouse
<b>Product Form</b>	Purified IgG conjugated to Biotin - lyophilized
<b>Reconstitution</b>	Reconstitute with 0.5ml sterile PBS containing 0.1% bovine serum albumin Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. For long term storage the addition of 0.09% sodium azide is recommended.
<b>Antiserum Preparation</b>	Antisera to mouse CXCL1 were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative</b>	None present

<b>Stabilisers</b>	
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 0.1 mg/ml after reconstitution.
<b>Immunogen</b>	<a href="#">Recombinant mouse CXCL1</a>
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P12850</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">14825</a>    Cxcl1    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	Gro, Gro1, Mgsa, Scyb1
<b>RRID</b>	AB_2261280
<b>Specificity</b>	<b>Rabbit anti Mouse CXCL1 antibody</b> recognizes mouse CXCL1 also known as GRO1 and KC, a ~7.8 kDa chemokine involved in neutrophil chemotaxis and activation, and expressed in a range of cells including monocytes, macrophages and vascular endothelial cells.
<b>ELISA</b>	AAM40B may be used in a direct ELISA or as the detection reagent in a sandwich ELISA with <a href="#">AAM40</a> as the capture antibody and <a href="#">PMP66</a> as the standard.
<b>Western Blotting</b>	AAM40B may be used under either reducing or non-reducing western blotting conditions with <a href="#">PMP66</a> as the positive control.
<b>References</b>	1. Liu, H. <i>et al.</i> (2017) NLRP3 inflammasome induced liver graft injury through activation of telomere-independent RAP1/KC axis. <a href="#">J Pathol. 242 (3): 284-96.</a>
<b>Storage</b>	<p>Prior to reconstitution store at -20°C.  After reconstitution store at -20°C.</p> <p>This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10294 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AAM40B">https://www.bio-rad-antibodies.com/SDS/AAM40B</a> 10294
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Positive Controls

[RECOMBINANT MOUSE CXCL1 \(PMP66\)](#)

### Recommended Useful Reagents

[RABBIT ANTI MOUSE CXCL1 \(AAM40\)](#)

**North & South America** Tel: +1 800 265 7376  
Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

#### Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

#### Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M399172:220628'

**Printed on 12 Aug 2023**

---

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)