

## Datasheet: AAM64

<b>Description:</b>	GOAT ANTI MOUSE SDF-1 ALPHA
<b>Specificity:</b>	SDF-1 ALPHA
<b>Other names:</b>	CXCL12a
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			0.5 - 2.0ug/ml
Immunoprecipitation			▪	
Western Blotting	▪			0.1 - 0.2ug/ml
Functional Assays	▪			2.5 - 3.5ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Mouse
<b>Product Form</b>	Purified IgG - lyophilised
<b>Reconstitution</b>	<p>Reconstitute with 0.1ml distilled water</p> <p>Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. For long term storage the addition of 0.09% sodium azide is recommended.</p> <p>N.B. For functional studies do not add sodium azide</p>
<b>Antiserum Preparation</b>	Antiserum to mouse SDF-1 alpha were raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	None present
<b>Carrier Free</b>	Yes

<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml after reconstitution
<b>Immunogen</b>	<a href="#">Recombinant mouse SDF-1 alpha</a> expressed in <i>E. coli</i> (PMP77).
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P40224</a>   <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">20315</a> Cxcl12   <a href="#">Related reagents</a></p>
<b>Synonyms</b>	Sdf1
<b>RRID</b>	AB_2088306
<b>Specificity</b>	<p><b>Goat anti Mouse SDF-1 alpha antibody</b> recognizes mouse SDF-1 alpha, otherwise known as CXCL12a, a stromal cell derived CXC chemokine which, together with SDF-1 beta, arises from alternative splicing of the SDF-1 gene, and acts as a chemoattractant for T and B lymphocytes, monocytes and migratory neurons.</p> <p>SDF-1 binds with high-affinity to the G protein-coupled receptor CXCR4 (fusin), and acts as an inhibitor of the CXCR4-mediated entry of HIV-1 virus into target T-cells.</p>
<b>ELISA</b>	This antibody may be used in an indirect ELISA or as a capture reagent in a sandwich ELISA with <a href="#">AAM64B</a> as the detection antibody and <a href="#">PMP77</a> as the standard.
<b>Storage</b>	<p>Prior to reconstitution store at -20°C.  After reconstitution store at -20°C.</p> <p>This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	6 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10162 available at: 10162: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf</a>
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

**North & South America** Tel: +1 800 265 7376  
Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M372429:200706'

