

Datasheet: AAM67

Description:	GOAT ANTI MOUSE CD184 / CXCR4
Specificity:	CD184 / CXCR4 (N-TERMINAL)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin	▪			1/300
ELISA	▪			1/50000
Immunoprecipitation			▪	
Western Blotting	▪			1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Species Cross Reactivity	Reacts with: Xenopus N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Antiserum Preparation	Antiserum to mouse CD184 / CXCR4 (NT) was raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative	0.1% Sodium Azide (NaN ₃)
Stabilisers	0.1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Synthetic peptide YSEEVGSGDYDSNKEPCFRDENVHFNR corresponding to amino acids 14-40 within the N-terminal region of mouse CD184 / CXCR4.

**External Database
Links**

UniProt:

[P70658](#) [Related reagents](#)

Entrez Gene:

[12767](#) Cxcr4 [Related reagents](#)

Synonyms

Cmkar4, Lestr, Sdf1r

RRID

AB_2089371

Specificity

Goat anti Mouse CD184 / CXCR4 recognises an epitope within the N-terminal (NT) region of mouse CD184, otherwise known as CXCR4 (C-X-C chemokine receptor type 4), a transmembrane glycoprotein and member of the G-protein coupled receptor 1 family, ubiquitously expressed in blood and tissue cells, which acts as a specific receptor for the chemokine SDF-1 (Stromal cell-derived factor 1).

Interaction of CD184 with SDF-1 mediates the chemotaxis of progenitor and mature blood cells, and is critical for B-lymphopoiesis and myelopoiesis. CD184 is a major co-receptor for infection by T-cell tropic strains of HIV1, and also a primary receptor for some HIV2 isolates.

This antibody is reported as being suitable for use in immunocytochemistry on mouse spleen leucocytes.

ELISA

This product is suitable for use in indirect ELISA applications.

**Histology Positive
Control Tissue**

Spleen

Storage

Store at -20°C only.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

**Health And Safety
Information**

Material Safety Datasheet documentation #10041 available at:
10041: <https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

Recommended Useful Reagents

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025A\)](#)

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025C\)](#)

'M363723:200529'

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 11 Aug 2020

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)