

Datasheet: AAM68

Description:	GOAT ANTI MOUSE CDw198
Specificity:	CDw198
Other names:	CCR8
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin	▪			1/400
ELISA	▪			1/100000
Immunoprecipitation			▪	
Western Blotting	▪			1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Antiserum Preparation	Antiserum to mouse CDw198 was raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.1% Sodium Azide (NaN ₃) 0.1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 1.0mg/ml

Immunogen	Synthetic peptide PNVMTDYYPDFFFTAPCDAEFLLRGSM corresponding to amino acids 7-33 of mouse CDw198.
External Database Links	<p>UniProt: P56484 Related reagents</p> <p>Entrez Gene: 12776 Ccr8 Related reagents</p>
Synonyms	Cmkbr8, Ter1
RRID	AB_2073102
Specificity	<p>Goat anti mouse CDw198 polyclonal antibody recognizes mouse CDw198, otherwise known as CCR8 (C-C chemokine receptor type 8), a transmembrane glycoprotein and member of the G-protein coupled receptor 1 family, which acts a high-affinity receptor for the chemokine I-309 (CCL1), implicated in the regulation of monocyte chemotaxis and thymocyte apoptosis.</p> <p>CDw198 is constitutively expressed by monocytes, preferentially expressed on Th2 (type 2 helper T) cells, and acts as a co-receptor with CD4 for HIV1 infection.</p>
ELISA	This product is suitable for use in indirect ELISA applications.
Histology Positive Control Tissue	Spleen
Storage	<p>Store at -20°C only.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/AAM6810041
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

Recommended Useful Reagents

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025A\)](#)

North & South Tel: +1 800 265 7376

Worldwide Tel: +44 (0)1865 852 700

Europe Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M428118:240301'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)