## Datasheet: AAR18G BATCH NUMBER 165276

RABBIT ANTI RAT RANTES
RANTES
CCL5
Purified
Polyclonal Antibody
Polyclonal IgG
0.1 mg

## **Product Details**

Applications	This product has been re	This product has been reported to work in the following applications. This information is						
	derived from testing within our laboratories, peer-reviewed publications or personal							
	communications from the originators. Please refer to references indicated for further							
		information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/proto	•						
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry			•				
	Immunohistology - Frozen							
	Immunohistology - Paraffin			•				
	ELISA				0.5ug/ml - 2.0ug/ml			
	Immunoprecipitation			•	5 6			
	Western Blotting				0.1ug/ml - 0.2ug/ml			
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.							
Target Species	Rat							
Product Form	Purified IgG - lyophilized							
Reconstitution	Reconstitute with 0.1ml distilled water							
	Care should be taken during reconstitution as the protein may appear as a film at the							
	bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.							
	For long term storage the	e addition	of 0.09%	sodium azide is recor	nmended.			
Antiserum Prepara	tion Antisera to rat RANTES	were rais	ed by rep	eated immunisation of	rabbits with highly			

Antiserum Preparation Antisera to rat RANTES were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG prepared by antigen affinity chromatography

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present.
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution
Immunogen	Recombinant rat RANTES.
External Database Links	UniProt: <u>P50231</u> <u>Related reagents</u> Entrez Gene: <u>81780</u> Ccl5 <u>Related reagents</u>
Synonyms	Scya5
RRID	AB_2244145
Specificity	<b>Rabbit anti Rat RANTES antibody</b> recognizes rat RANTES, also known as CCL5, a chemoattractant for blood monocytes, memory T-helper cells and eosinophils. RANTES causes the release of histamine from basophils and activates eosinophils.
	Rabbit anti Rat RANTES antibody has not been cross-adsorbed and may react with homologous peptides from related species.
ELISA	This antibody may be used in and indirect ELISA or as a capture reagent in a sandwich ELISA in combination with <b>AAR18B</b> as a detection reagent.
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C.
	This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody Should this product contain a precipitate we recommend microcentrifugation before use
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10294 available at: https://www.bio-rad-antibodies.com/SDS/AAR18G 10294
Regulatory	For research purposes only

# **Related Products**

### **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (H/L) (STAR124...)HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRP

#### **Recommended Useful Reagents**

#### TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-ra	id.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M399134:220628'

#### Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint