

Datasheet: AAR29 BATCH NUMBER 149043

Description:	RABBIT ANTI RAT INTERLEUKIN-10			
Specificity:	IL-10			
Format:	Purified			
Product Type:	Polyclonal Antibody			
lsotype:	Polyclonal IgG			
Quantity:	0.1 mg			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen			•			
	Immunohistology - Paraffin						
	ELISA	•			0.5 - 2.0ug/ml		
	Immunoprecipitation			•			
	Western Blotting	•			0.1 - 0.2ug/ml		
	Functional Assays			•			
Target Species	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own systems with the appropriate negative/positive controls.						
Product Form	Purified IgG - lyophilised						
Reconstitution	Reconstitute with 0.1 ml distilled water Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. For long term storage the addition of 0.09% sodium azide is recommended.						
Antiserum Preparation	n Antisera to rat IL-10 were antigen. Purified IgG was		•				

Buffer Solution Phosphate buffered saline

Preservative Stabilisers	None present			
Carrier Free	Yes			
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution			
Immunogen	Recombinant rat IL-10			
External Database Links	UniProt: P29456 Related reagents Entrez Gene: 25325 II10 Related reagents			
Synonyms	II-10			
RRID	AB_2125368			
Specificity	Rabbit anti Rat Interleukin-10 antibody recognizes rat interleukin-10 (IL-10)			
	Rat IL-10 is a 18.7kD cytokine which exists as a homodimer.			
	IL-10 is produced by a population of T-cells and is reported to inhibit the synthesis of several cytokines including IFN gamma, IL-2, IL-3 and TNF alpha.			
ELISA	AAR29 may be used in an indirect ELISA with <u>PRP29</u> as the standard.			
Western Blotting	AAR29 may be used under either reducing or non-reducing western blotting conditions with <u>PRP29</u> as the positive control.			
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C.			
	This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/AAR29 10162			
Regulatory	For research purposes only			

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (H/L) (STAR124...)HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRP

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT: HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio	-rad.com	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M372444:200706'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint