

## Datasheet: AHP1000

<b>Description:</b>	RABBIT ANTI MOUSE TRIAD3A (N-TERMINAL)
<b>Specificity:</b>	TRIAD3A (N-TERMINAL)
<b>Other names:</b>	E3 ubiquitin-protein ligase RNF216
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin (1)	▪			
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			0.5 - 1.0ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.**

<b>Target Species</b>	Mouse
<b>Product Form</b>	Purified IgG - liquid
<b>Antiserum Preparation</b>	Antisera to mouse TRIAD3A (NT) were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by ion exchange chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.02% Sodium Azide

<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml
<b>Immunogen</b>	A 15 amino acid peptide located near mouse TRIAD3A amino-terminus.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P58283</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">108086</a> Rnf216    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	Triad3, Ubce7ip1, Uip83, Zin
<b>RRID</b>	AB_609826
<b>Specificity</b>	<p><b>Rabbit anti Human TRIAD3A antibody</b> recognizes an epitope within the N-terminal region (NT) of mouse TRIAD3A, a ubiquitously expressed E3 ubiquitin-protein ligase which plays an important role in the innate immune response.</p> <p>Regulation of the level and duration of Toll-like receptor (TLR) activation is vital in controlling a pro-inflammatory response, to prevent harm to the host. Several proteins involved in the regulation of TLR signaling have been described including ST2 and IL-1R-associated kinase M, along with many other adaptor proteins of the MyD88 family, which mediate TLR signal transduction. TRIAD3A, identified as a RING finger member of the E3 ligase family of proteins, binds to the cytoplasmic tail of several TLRs, notably TLR4 and TLR9, resulting in ubiquitination and proteolytic degradation, thereby regulating their expression. TRIAD3A does not appear to regulate the expression of TLR2.</p>
<b>Western Blotting</b>	AHP1000 detects a band of approximately 95kDa in mouse heart cell lysates.
<b>Further Reading</b>	<ol style="list-style-type: none"> <li>1. Chuang, T.H. &amp; Ulevitch, R.J. (2004) Triad3A, an E3 ubiquitin-protein ligase regulating Toll-like receptors. <a href="#">Nat Immunol. 5 (5): 495-502.</a></li> <li>2. Brint, E.K. <i>et al.</i> (2004) ST2 is an inhibitor of interleukin 1 receptor and Toll-like receptor 4 signaling and maintains endotoxin tolerance. <a href="#">Nat Immunol. 5 (4): 373-9.</a></li> </ol>
<b>Storage</b>	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>
<b>Regulatory</b>	For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)

Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Sheep Anti Rabbit IgG (STAR35...) [RPE](#)

Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M381639:210512'

**Printed on 21 Mar 2022**

---

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)