

# Datasheet: AHP1001 BATCH NUMBER 160927

RABBIT ANTI TSC1
TSC1
TUBEROUS SCLEROSIS COMPLEX 1
Purified
Polyclonal Antibody
Polyclonal IgG
0.1 mg

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen	•			
Immunohistology - Paraffin	-			
ELISA				
Immunoprecipitation				
Western Blotting	•			1ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Rat, Mouse  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
	tion Antigora to human TSC1 were raised by repeated immunications of rabbits with b

**Antiserum Preparation** Antisera to human TSC1 were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	A 15 amino acid peptide located near the centre of human TSC1.
External Database Links	UniProt:  Q92574 Related reagents  Entrez Gene:  7248 TSC1 Related reagents
Synonyms	KIAA0243, TSC
RRID	AB_609656
Specificity	Rabbit anti Human TSC1 antibody recognizes an epitope within the internal region of the 130kDa tumour suppressor protein, Tumour sclerosis complex 1 (TSC1). Mutation within the TSC1 gene is responsible for Tuberous sclerosis (TSC), an autosomal dominant genetic disorder associated with the development of benign tumors (hamartomas), a condition also induced by mutation of the Tumour sclerosis complex 2 (TSC2) gene.  Many proteins have been shown to play a role in the regulation of the serine/threonine kinase known as target of rapamycin (TOR), a central component in a complex signaling pathway which controls cell proliferation and cell cycle progression. Negative regulation of TOR activity occurs following the over-expression of the TSC1 and TSC2 gene products, hamartin and tuberin. These act by suppressing the phosphorylation of eukaryotic translation initiation factor 4E binding protein 1 (4EBP1) and ribosomal protein S6 kinase (S6K), downstream targets of TOR involved in mRNA translation. Furthermore the TOR activator protein Rheb has been identified as a target of TSC1-TSC2 complexes.  Rabbit anti Human TSC1 antibody has been reported as suitable for use in IHC on mouse EL4 cell cytospins at 2μg/ml.
Western Blotting	AHP1001 detects a band of approximately 130kDa in mouse EL4 cell lysates.
Further Reading	<ol> <li>Inoki, K. <i>et al.</i> (2005) Signaling by target of rapamycin proteins in cell growth control. Microbiol Mol Biol Rev. 69 (1): 79-100.</li> <li>Tee, A.R. <i>et al.</i> (2002) Tuberous sclerosis complex-1 and -2 gene products function together to inhibit mammalian target of rapamycin (mTOR)-mediated downstream signaling. Proc Natl Acad Sci U S A. 99 (21): 13571-6.</li> </ol>
Storage	Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP1001">https://www.bio-rad-antibodies.com/SDS/AHP1001</a> 10040
Regulatory	For research purposes only

## **Related Products**

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

#### **Recommended Useful Reagents**

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)
TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363763:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint