

Datasheet: AHP1004

BATCH NUMBER 167158

Description:	RABBIT ANTI NMDA RECEPTOR NR2B (pTyr1472)
Specificity:	NMDAR NR2B (pTyr1472)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Rat

Species Cross Reactivity

Based on sequence similarity, is expected to react with: Zebrafish, Bovine, Human, Monkey, Mouse, Dog, Chicken

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Antiserum Preparation

Antisera to NMDA receptor NR2B subunit were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution	10mM HEPES pH7.5.
Preservative	0.09% Sodium Azide
Stabilisers	0.01% Bovine Serum Albumin 50% Glycerol
Immunogen	A synthetic phosphopeptide corresponding to an amino acid sequence within the NR2B subunit of the NMDA receptor, which includes phosphorylated Tyr1472.
External Database Links	<p>UniProt: Q00960 Related reagents</p> <p>Entrez Gene: 24410 Grin2b Related reagents</p>
RRID	AB_609781
Specificity	<p>Rabbit anti Rat NMDA receptor NR2B (pTyr1472) antibody recognizes NMDA receptor NR2B, also known as glutamate receptor ionotropic, NMDA 2B (GluN2B), glutamate [NMDA] receptor subunit epsilon-2 and N-methyl D-aspartate receptor subtype 2B (NMDAR2B), when phosphorylated at tyrosine 1472.</p> <p>Receptors for NMDA belong to a group of ionotropic glutamate receptors which play a key role in the mediation of glutamate neurotransmission within the mammalian central nervous system (CNS), including involvement in memory and learning processes. Several antagonists and agonists of NMDA receptors (NMDAR) have been identified, including the glutamate analogue Homoquinolinic acid, which displays a higher affinity for NR2B-containing NMDAR. Properties of NMDAR include modulation by glycine, inhibition by Zn²⁺, voltage-dependent Mg²⁺ blockade and high Ca²⁺ permeability.</p> <p>The involvement of NMDAR in the CNS has become a focus area for neurodegenerative diseases such as Alzheimer's disease (Popke et al. 2003) and also epilepsy and ischemic neuronal cell death.</p>
Western Blotting	AHP1004 detects a band of approximately 180 kDa in rat brain hippocampal lysates. This antibody also labels proteins of 65kDa and 115kDa.
Further Reading	<ol style="list-style-type: none"> 1. Popke, E.J. (2003) From anticholinesterase toxicity to Alzheimer's disease: important interactions of cholinergic and NMDA receptor systems. Toxicol Sci. 72 (2): 185-7. 2. Rosenblum, K. et al. (1996) Long-term potentiation increases tyrosine phosphorylation of the N-methyl-D-aspartate receptor subunit 2B in rat dentate gyrus in vivo. Proc Natl Acad Sci U S A. 93 (19): 10457-60. 3. Takasu, M.A. et al. (2002) Modulation of NMDA receptor-dependent calcium influx and gene expression through EphB receptors. Science. 295 (5554): 491-5. 4. Ishii, T. et al. (1993) Molecular characterization of the family of the N-methyl-D-aspartate receptor subunits. J Biol Chem. 268 (4): 2836-43.

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10088 available at: <https://www.bio-rad-antibodies.com/SDS/AHP1004>
10088

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)
Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M382654:210513'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)