

## Datasheet: AHP1031

**BATCH NUMBER 161689**

<b>Description:</b>	RABBIT ANTI HUMAN G-CSF
<b>Specificity:</b>	G-CSF
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin (1)	▪			0.25ug/ml
ELISA	▪			0.5ug/ml - 2ug/ml
Immunoprecipitation			▪	
Western Blotting	▪			0.1 - 0.2ug/ml
Functional Assays	▪			0.04 - 0.06ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.Sodium citrate buffer pH 6.0 is recommended for this purpose.**

#### Target Species

Human

#### Product Form

Purified IgG - lyophilized

#### Reconstitution

Reconstitute with 0.1ml distilled water. For long term storage the addition of 0.09% sodium azide is recommended. NB. For functional studies do not add azide.

#### Antiserum Preparation

Antisera to human G-CSF were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	None present
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml after reconstitution
<b>Immunogen</b>	<a href="#">Recombinant human G-CSF</a>
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P09919</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">1440</a>    CSF3    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	C17orf33, GCSF
<b>RRID</b>	AB_2083737
<b>Specificity</b>	<p><b>Rabbit anti Human G-CSF antibody</b> recognizes human G-CSF (Granulocyte colony-stimulating factor), a 19.6kDa haematopoietic growth factor and member of the CSF family of hormone-like glycoproteins, which stimulates the development of bone marrow progenitor cells and in particular those committed to neutrophil lineage.</p> <p>The ability of G-CSF to stimulate the proliferation/differentiation and function of neutrophil granulocyte progenitor cells and survival of mature neutrophils, has resulted in G-CSF becoming an important factor in patient treatment following allogeneic (bone marrow/stem cell) transplantation and chemotherapy.</p> <p>To yield one-half maximal inhibition [ND<sub>50</sub>] of the biological activity of hG-CSF (0.5 ng/ml), a concentration of 0.04-0.06 ug/ml of this antibody is required.</p>
<b>ELISA</b>	This purified human G-CSF antibody may be used in an indirect ELISA or as the capture reagent in a sandwich ELISA with our <a href="#">biotinylated human G-CSF antibody</a> (AHP1031B) as the detection reagent and <a href="#">recombinant human G-CSF</a> (PHP082B) as the standard.
<b>Histology Positive Control Tissue</b>	Human angiosarcoma
<b>Further Reading</b>	<ol style="list-style-type: none"> <li>Hill, C.P. <i>et al.</i> (1993) The structure of granulocyte-colony-stimulating factor and its relationship to other growth factors. <a href="#">Proc Natl Acad Sci U S A. 90 (11): 5167-71.</a></li> <li>Morton, J. <i>et al.</i> (2001) Granulocyte-colony-stimulating factor (G-CSF)-primed allogeneic bone marrow: significantly less graft-versus-host disease and comparable engraftment to G-CSF-mobilized peripheral blood stem cells. <a href="#">Blood. 98 (12): 3186-91.</a></li> </ol>

**Storage** Prior to reconstitution store at -20°C.  
After reconstitution store at -20°C.

This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** 6 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10162 available at:  
<https://www.bio-rad-antibodies.com/SDS/AHP1031>  
10162

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)  
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)  
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)  
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

### Recommended Useful Reagents

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025A\)](#)  
[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M391219:211008'

Printed on 18 Jan 2024