Datasheet: AHP1034 BATCH NUMBER 147095R

Description:	RABBIT ANTI HUMAN INTERLEUKIN-5		
Specificity:	IL-5		
Format:	Purified		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	0.1 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	•				
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin	•				
	ELISA	-			0.5 - 2.0ug/ml	
	Immunoprecipitation					
	Western Blotting	-			0.1 - 0.2ug/ml	
	Functional Assays				0.05 - 0.09ug/ml	
	necessarily exclude its us a guide only. It is recomn system using appropriate	nended the	at the use	titrates the product f		
Target Species	Human					
Product Form	Purified IgG - lyophilised					
Reconstitution	Reconstitute with 0.1ml of azide is recommended. N			• •		
Antiserum Preparatio	n Antisera to human IL-5 w purified antigen. Purified		• •		rabbits with highly	
Buffer Solution	Phosphate buffered salin	е				
Preservative	None present					

Stabilisers

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml after reconstitution
Immunogen	Recombinant human IL-5.
External Database Links	UniProt: <u>P05113</u> <u>Related reagents</u>
	Entrez Gene: <u>3567</u> IL5 <u>Related reagents</u>
RRID	AB_2127327
Specificity	Rabbit anti Human Interleukin-5 antibody recognizes human IL-5 (Interleukin-5), a disulphide-linked homodimer consisting of two 115 amino acid chains, which is homologous to mouse eosinophil differentiation factor (EDF) and is produced by mast cells, eosinophils and T cells.
	IL-5 is a lineage-specific cytokine involved in the development and stimulation of eosinophils, and has been linked with diseases involving abnormally high levels of eosinophils, including parasitic infections and allergic airways eosinophilia, the major pathological symptom of allergic asthma.
ELISA	This antibody may be used in an indirect ELISA or as a capture reagent in a sandwich ELISA with <u>AHP1034B</u> as the detection antibody
Further Reading	 Campbell, H.D. <i>et al.</i> (1987) Molecular cloning, nucleotide sequence, and expression of the gene encoding human eosinophil differentiation factor (interleukin 5). <u>Proc Natl Acad</u> <u>Sci U S A. 84 (19): 6629-33.</u> Wang, J. <i>et al.</i> (1998) Circulating, but not local lung, IL-5 is required for the development of antigen-induced airways eosinophilia. <u>J Clin Invest. 102 (6): 1132-41.</u>
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C.
	This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/AHP1034

	10162				
Regulato	ry For rese	earch purpose			
Relate	d Products				
Recomm	nended Secondary	Antibodies			
Sheep A	nti Rabbit IgG (STAR3	54) <u>FIT</u>	<u>C</u>		
Goat Ant	i Rabbit IgG (Fc) (STA	R121) <u>Bio</u>	<u>tin, FITC, HRP</u>		
Sheep A	nti Rabbit IgG (STAR3	5) <u>RP</u>	E		
Goat Ant	i Rabbit IgG (H/L) (ST	AR124) <u>HR</u>	<u>P</u>		
Recom	nended Useful Rea	gents			
<u>TidyBlot V</u>	VESTERN BLOT DETEC	TION REAGE	NT:HRP (STAR209P)		
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Printed on 18 Jan 2024

© 2024 Bio-Ra	ad Laboratories Inc	<u>Legal</u>	Imprint