Datasheet: AHP1059 BATCH NUMBER 153223

Description:	GOAT ANTI HUMAN CD14
Specificity:	CD14
Format:	Purified
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further							
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry							
	Immunohistology - Frozen							
	Immunohistology - Paraffin (1)	•			4 - 6 ug/ml			
	ELISA	-			1/128,000			
	Immunoprecipitation							
	Western Blotting	-			1 - 3 ug/ml			
	Functional Assays							
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as							
								a guide only. It is recommended that the user titrates the product for use in their own
	system using appropriate negative/positive controls. (1) Heat-mediated antigen retrieval is required prior to staining paraffin sections with							
								this antibody. Citrate buffer, pH6.0, is recommended for this purpose.
	Target Species	Human						
	Product Form	Purified IgG - liquid						
Antiserum Preparatio	on Antisera to CD14 were ra antigen. Purified IgG pre reactivity with the carrier	pared by a	affinity ch	romatography using th	• • •			
Buffer Solution	TRIS buffered saline							

Preservative Stabilisers	0.02% Sodium Azide (NaN ₃) 0.5% Bovine Serum Albumin				
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml				
Immunogen	Peptide with sequence C-KRVDADADPRQYAD corresponding to amino acid residues 71-84 of the human CD14 precursor conjugated to a carrier protein.				
External Database Links	UniProt: <u>P08571</u> <u>Related reagents</u> Entrez Gene: <u>929</u> CD14 <u>Related reagents</u>				
RRID	AB_770076				
Specificity	Goat anti Human CD14 antibody recognizes human CD14, a 55 kDa receptor for endotoxin and other bacterial cell wall components.Goat anti Human CD14 antibody detects an epitope within the internal region of CD14. CD14 acts as a multiligand pattern recognition receptor, inducing specific coassembly of additional receptors, including MD-2 and TLR4 as part of the lipopolysaccharide (LPS) receptor. The LPS receptor is expressed strongly on the surface of monocytes and weakly on the surface of granulocytes, and is also expressed by most tissue macrophages. Activation of the LPS receptor leads to NF-kappa-B activation, cytokine secretion and the inflammatory response. CD14 also up-regulates cell surface molecules, including adhesion molecules, and has been shown to bind apoptotic cells				
Histology Positive Control Tissue	Human Spleen				
Western Blotting	AHP1059 detects a band of approximately 55kD in human lung, lymph node and tonsil lysates.				
References	 Triantafilou, M. & Triantafilou, K. (2002) Lipopolysaccharide recognition: CD14, TLRs and the LPS-activation cluster. <u>Trends Immunol. 23 (6): 301-4.</u> Miyake, K. (2003) Innate recognition of lipopolysaccharide by CD14 and toll-like receptor 4-MD-2: unique roles for MD-2. <u>Int Immunopharmacol. 3 (1): 119-28.</u> 				
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				

Health A Informati	on <u>t</u>	Material Safety Datasl <u>https://www.bio-rad-ar</u> 10058	at:				
Regulato	ry F	For research purposes					
Relate	d Products	3					
Recomm	nended Seco	ondary Antibodies					
Rabbit A	nti Goat IgG (F		HRP				
Recomm	nended Usef	ul Reagents					
ANTIGEN	RETRIEVAL BU	JFFER, pH8.0 (BUF025/	<u>A)</u>				
North & South America	Tel: +1 800 265 737 Fax: +1 919 878 37	751	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50		
	Email: antibody_sal	les_us@bio-rad.com	Email: antibody_sales_uk@bic	p-rad.com	Email: antibody_sales_de@bio-rad.com		
To find a b	atch/lot specific	datasheet for this produ	uct, please use our online 'M363790:200529'	search tool at: b	io-rad-antibodies.com/datasheets		
Printed on 01 Mar 2024							

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint