

Datasheet: AHP1063

Description:	GOAT ANTI HUMAN FTCD (N-TERMINAL)
Specificity:	FTCD (N-TERMINAL)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/64000
Immunoprecipitation			▪	
Western Blotting	▪			0.03 - 0.5ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Human

Species Cross Reactivity

Based on sequence similarity, is expected to react with: Mouse

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Antiserum Preparation

Antisera to FTCD were raised by repeated immunisations of goat with highly purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution

TRIS buffered saline

Preservative Stabilisers	0.02% Sodium Azide (NaN ₃) 0.5% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.5mg/ml
Immunogen	Peptide with sequence SQLVECVPNFSEGKNQ from the N-terminus of FTCD.
External Database Links	<p>UniProt: O95954 Related reagents</p> <p>Entrez Gene: 10841 FTCD Related reagents</p>
RRID	AB_808584
Specificity	<p>Goat anti Human FTCD antibody detects an epitope within the N-terminal (NT) region of formiminotransferase cyclodeaminase (FTCD). FTCD is a homo-octameric bifunctional enzyme which plays important roles in coupling histidine catabolism with folate metabolism, and integrating the Golgi complex with the vimentin intermediate filament cytoskeleton.</p> <p>FTCD is present in all mammalian cells either free in the cytosol or tightly bound to the Golgi complex, and is most abundant in the liver. FTCD is linked to two human diseases, autoimmune hepatitis and glutamate formiminotransferase deficiency (Mao et al. 2004).</p>
Western Blotting	AHP1063 detects a band of approximately 55-60kDa in human liver lysate.
References	<ol style="list-style-type: none"> 1. Mao, Y. <i>et al.</i> (2004) Structure of the bifunctional and Golgi-associated formiminotransferase cyclodeaminase octamer. EMBO J. 23 (15): 2963-71. 2. Renous, R. <i>et al.</i> (2004) Characterization of the antigenicity of the formiminotransferase-cyclodeaminase in type 2 autoimmune hepatitis. Exp Cell Res. 292 (2): 332-41.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: 10058: https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M382660:210513'

Printed on 21 Mar 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)