

## Datasheet: AHP1093

<b>Description:</b>	GOAT ANTI HUMAN VITAMIN D RECEPTOR
<b>Specificity:</b>	VITAMIN D RECEPTOR
<b>Other names:</b>	VDR
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/16,000
Immunoprecipitation			▪	
Western Blotting	▪			0.3 - 1.0ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

### Target Species

Human

### Species Cross Reactivity

Reacts with: Rat, Mouse

Based on sequence similarity, is expected to react with: Dog

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG - liquid

### Antiserum Preparation

Antisera to human Vitamin D receptor were raised by repeated immunisations of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	TRIS buffered saline
Preservative Stabilisers	0.02% Sodium Azide 0.5% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Peptide sequence CGNQDYKYRVSD corresponding to the internal region of Vitamin D receptor (NP_000367.1).
External Database Links	<p><b>UniProt:</b>  <a href="#">P11473</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">7421</a>    VDR    <a href="#">Related reagents</a></p>
Synonyms	NR111
RRID	AB_2212487
Specificity	<p><b>Goat anti Human Vitamin D Receptor antibody</b> recognises human vitamin D nuclear hormone receptor (VDR) a ~48 kDa member of the trans-acting transcriptional regulatory factors. On binding vitamin D, VDR regulates the expression of hormone sensitive genes. The main downstream target of VDR is involved in bone mineral metabolism although VDR is also involved in immune response and cancer metabolic pathways. VDR also acts as a receptor for secondary bile acid lithocholic acid. Additionally, signalling and oncogenic activity of beta-catenin signalling has been shown to be repressed by VDR (<a href="#">Shah <i>et al.</i> 2006</a>).</p>
Western Blotting	AHP1093 detects a band of approximately 40-45kDa in human brain cell lysates. A minimum incubation time of 1 hour is recommended with this antibody.
References	1. Cheng, H.T. <i>et al.</i> (2006) Functional role of VDR in the activation of p27Kip1 by the VDR/Sp1 complex. <a href="#">J Cell Biochem. 98 (6): 1450-6.</a>
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	<p>Material Safety Datasheet documentation #10058 available at:  <a href="https://www.bio-rad-antibodies.com/SDS/AHP1093">https://www.bio-rad-antibodies.com/SDS/AHP1093</a>  10058</p>

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M420597:230706'

**Printed on 12 Aug 2023**