

Datasheet: AHP1124 BATCH NUMBER 154791

Description:	GOAT ANTI SNAP-25 (C-TERMINAL)
Specificity:	SNAP-25 (C-TERMINAL)
Other names:	SYNAPTOSOMAL-ASSOCIATED PROTEIN
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin (1)	•			2.0 - 4.0ug/ml
ELISA	•			1/32000
Immunoprecipitation				
Western Blotting	-			0.01 - 0.03ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) Heat-mediated antigen retrieval is required prior to staining paraffin sections with

(1)Heat-mediated antigen retrieval is required prior to staining paraffin sections with this antibody. Bio-Rad recommend citrate buffer, pH6.0, for this purpose.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse Based on sequence similarity, is expected to react with:Rat, Dog N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid

Antiserum Preparation Antisera to human SNAP-25 were raised by repeated immunisations of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	TRIS buffered saline		
Preservative	0.02% Sodium Azide		
Stabilisers	0.5% Bovine Serum Albumin		
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml		
Immunogen	Peptide sequence C-DEANQRATKMLGSG corresponding to the C-terminus of SNAP-(NP_003072.2, NP_570824.1).		
External Database	UniProt:		
Links	P60880 Related reagents		
	r 00000 Related reagents		
	Entrez Gene:		
	6616 SNAP25 Related reagents		
Synonyms	SNAP		
RRID	AB_808741		
Specificity	Goat ati Human SNAP25 antibody recognizes human synaptosomal-associated protein, 25kD (SNAP-25), also known as Super protein (Sup) or Synaptosomal-associated 25 kDa protein. SNAP-25 is a 206 amino acid, presynaptic plasma membrane protein containing 2 tSNARE coiled-coil domains and is essential for Ca2+-regulated exocytosis of neurotransmitters. SNAP-25 binds to and negatively modulate Ca2+ channels, increasing the speed of neurotransmitter release (Rettiq et al. 1996). Goat ati Human SNAP25		
	antibody detects an epitope within the C-terminal (CT) of human SNAP25 (aa 193-206). As a result of alternative splicing, SNAP-25 is expressed by neurons and neuroendocrine		
	calls as two prodominant isoforms: SNAD 25s and SNAD 25s is expressed		

As a result of alternative splicing, SNAP-25 is expressed by neurons and neuroendocrine cells as two predominant isoforms; SNAP-25a and SNAP-25b. SNAP-25a is expressed early in development, whereas SNAP-25b expression is linked to synaptogenesis (<u>Bark and Wilson 1994</u>). Goat ati human SNAP25 antibody is expected to recognise both isoforms.

SNAP-25 may be a possible therapeutic treatment target for sufferers of hyperactivity disorders (<u>Barr et al. 2000</u>), whilst SNAP-25 based peptides may be a possible treatment for involuntary muscle spasms (<u>Hodel 1998</u>).

Western Blotting

AHP1124 detects a band of approximately 22kDa in human and mouse brain lysates. A minimum incubation time of 1 hour is recommended with this antibody.

References

- 1. Hodel, A. (1998) SNAP-25. Int J Biochem Cell Biol. 30 (10): 1069-73.
- 2. Lazzarini, R. et al. (2019) Mesenchymal Stem Cells from Nucleus Pulposus and Neural

Differentiation Potential: a Continuous Challenge. J Mol Neurosci. 67 (1): 111-124.

Storage	Store at +4°C or at -20°C if preferred.				
	This product should be stored undiluted.				
	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/AHP1124 10058				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

Recommended Useful Reagents

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363816:200529'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint